

EQUIPMENT TYPE APPROVAL

Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years from issuance date, where expiry date is due the Approval Holder shall apply for renewal if needed.

Application Details	
Approval ID: <i>210419</i>	Approval Holder: <i>Bahrain Switchgear and Lighting Industries</i>
Approval Type: <i>Distribution Customer Use</i>	Valid Till: <i>09 Sep 2026</i>
Equipment Details	
Category: <i>LV Switchgear & Controlgear</i>	Trademark: <i>ABB OT</i>
Description: <i>Annexure-A</i>	Designation: <i>Annexure-A</i>
Manufacture Details	
Name: <i>ABB OY</i>	Country of Origin: <i>Finland</i>

Comments:

EDD Requirements Fulfilled

Signature:

Stamp:

Chief, Engineering Services Section



TERMS AND CONDITIONS

1. The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
2. The Directorate retains the right to publish a censored copy of the approval.
3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
4. The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available at EDD Equipment Approval Web Page.
5. The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
6. The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
7. The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
10. The Approval is applicable whenever an Equipment is meeting the following provisions:
 - Classified in Applicable Standards List as Distribution Customer Use Equipment.
 - Meant to be used in Distribution Customer Installation.
11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
13. The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
14. The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

ANNEXURE-A

No.	Description	Designation
1	<i>25A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 25F</i>
2	<i>25A 3P Switch Disconnecter, Door mounting</i>	<i>OT 25FT</i>
3	<i>25A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 25M</i>
4	<i>25A 4P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 25F</i>
5	<i>25A 4P Switch Disconnecter, Door mounting</i>	<i>OT 25FT</i>
6	<i>25A 4P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 25M</i>
7	<i>40A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 40F</i>
8	<i>40A 3P Switch Disconnecter, Door mounting</i>	<i>OT 40FT</i>
9	<i>40A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 40M</i>
10	<i>40A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 40ML</i>
11	<i>40A 4P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 40F</i>
12	<i>40A 4P Switch Disconnecter, Door mounting</i>	<i>OT 40FT</i>
13	<i>40A 4P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 40M</i>
14	<i>40A 4P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 40ML</i>
15	<i>63A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 63F</i>
16	<i>63A 3P Switch Disconnecter, Door mounting</i>	<i>OT 63FT</i>
17	<i>63A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 63ML</i>
18	<i>63A 4P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 63F</i>
19	<i>63A 4P Switch Disconnecter, Door mounting</i>	<i>OT 63FT</i>
20	<i>63A 4P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 63ML</i>
21	<i>80A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 80F</i>
22	<i>80A 3P Switch Disconnecter, Door mounting</i>	<i>OT 80FT</i>
23	<i>80A 4P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 80F</i>
24	<i>80A 4P Switch Disconnecter, Door mounting</i>	<i>OT 80FT</i>
25	<i>100A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 100F</i>
26	<i>100A 3P Switch Disconnecter, Door mounting</i>	<i>OT 100FT</i>
27	<i>100A 4P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 100F</i>
28	<i>100A 4P Switch Disconnecter, Door mounting</i>	<i>OT 100FT</i>
29	<i>125A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 125F</i>
30	<i>125A 3P Switch Disconnecter, Door mounting</i>	<i>OT 125FT</i>
31	<i>125A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 125M</i>
32	<i>125A 3P Switch Disconnecter, Base & DIN-rail mounting grey body</i>	<i>OT 125MLE</i>
33	<i>125A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 125F</i>
34	<i>125A 3P Switch Disconnecter, Door mounting</i>	<i>OT 125FT</i>
35	<i>125A 3P Switch Disconnecter, Base & DIN-rail mounting 415 V rating</i>	<i>OT 125M</i>
36	<i>125A 3P Switch Disconnecter, Base & DIN-rail mounting, 400 V rating)</i>	<i>OT 125MLE</i>
37	<i>160A 2P Switch Disconnecter, Front operated</i>	<i>OT 160EV</i>
38	<i>160A 3P Switch Disconnecter, Front operated</i>	<i>OT 160EV</i>
39	<i>160A 4P Switch Disconnecter, Front operated</i>	<i>OT 160EV</i>
40	<i>100A 3P Switch Disconnecter, Base and DIN-rail mounting</i>	<i>OT 200E</i>

No.	Description	Designation
41	200A 2P Switch Disconnecter, Front operated	OT 200E
42	200A 3P Switch Disconnecter, Front operated	OT 200E
43	200A 4P Switch Disconnecter, Front operated	OT 200U
44	200A 2P Switch Disconnecter, Front operated	OT 200U
45	200A 3P Switch Disconnecter, Front operated	OT 200U
46	200A 4P Switch Disconnecter, Front operated	OT 250E
47	250A 2P Switch Disconnecter, Front operated	OT 250E
48	250A 3P Switch Disconnecter, Front operated	OT 250E
49	250A 4P Switch Disconnecter, Front operated	OT 315E
50	315A 2P Switch Disconnecter, Front operated	OT 315E
51	315A 3P Switch Disconnecter, Front operated	OT 315E
52	315A 4P Switch Disconnecter, Front operated	OT 400E
53	400A 2P Switch Disconnecter, Front operated	OT 400E
54	400A 3P Switch Disconnecter, Front operated	OT 400E
55	400A 4P Switch Disconnecter, Front operated	OT 400U
56	400A 2P Switch Disconnecter, Front operated	OT 400U
57	400A 3P Switch Disconnecter, Front operated	OT 400U
58	400A 4P Switch Disconnecter, Front operated	OT 600U3
59	600A 2P Switch Disconnecter, Front operated	OT 600U3
60	600A 3P Switch Disconnecter, Front operated	OT 600U3
61	600A 4P Switch Disconnecter, Front operated	OT 630E
62	630A 2P Switch Disconnecter, Front operated	OT 630E
63	630A 3P Switch Disconnecter, Front operated	OT 630E
64	630A 4P Switch Disconnecter, Front operated	OT 800E
65	800A 2P Switch Disconnecter, Front operated	OT 800E
66	800A 3P Switch Disconnecter, Front operated	OT 800E
67	800A 4P Switch Disconnecter, Front operated	OT1000E
68	1000A 3P Switch Disconnecter, Front operated	OT1000E
69	1000A 4P Switch Disconnecter, Front operated	OT1250E
70	1250A 3P Switch Disconnecter, Front operated	OT1250E
71	1250A 4P Switch Disconnecter, Front operated	OT1600E
72	1600A 3P Switch Disconnecter, Front operated	OT1600E
73	1600A 4P Switch Disconnecter, Front operated	XXXXXX
74	10A 2P Metallic enclosure Switch-disconnector	XXXXXX
75	10A 3P Metallic enclosure Switch-disconnector	XXXXXX
76	10A 4P Metallic enclosure Switch-disconnector	XXXXXX
77	10A 6P Metallic enclosure Switch-disconnector	XXXXXX
78	20A 2P Metallic enclosure Switch-disconnector	XXXXXX
79	20A 3P Metallic enclosure Switch-disconnector	XXXXXX
80	10A 2P Metallic enclosure Switch-disconnector	XXXXXX

No.	Description	Designation
81	20A 4P Metallic enclosure Switch-disconnector	XXXXXX
82	20A 6P Metallic enclosure Switch-disconnector	XXXXXX
83	32A 2P Metallic enclosure Switch-disconnector	XXXXXX
84	32A 3P Metallic enclosure Switch-disconnector	XXXXXX
85	32A 4P Metallic enclosure Switch-disconnector	XXXXXX
86	32A 6P Metallic enclosure Switch-disconnector	XXXXXX
87	40A 2P Metallic enclosure Switch-disconnector	XXXXXX
88	40A 3P Metallic enclosure Switch-disconnector	XXXXXX
89	40A 4P Metallic enclosure Switch-disconnector	XXXXXX
90	40A 6P Metallic enclosure Switch-disconnector	XXXXXX
91	2P Metallic enclosure, metallic actuator Switch-disconnector	XXXXXX
92	3P Metallic enclosure, metallic actuator Switch-disconnector	XXXXXX
93	4P Metallic enclosure, metallic actuator Switch-disconnector	XXXXXX
94	6P Metallic enclosure, metallic actuator Switch-disconnector	XXXXXX
95	10A 2P Plastic enclosure, Switch-disconnector	XXXXXX
96	10A 3P Plastic enclosure, Switch-disconnector	XXXXXX
97	10A 4P Plastic enclosure, Switch-disconnector	XXXXXX
98	10A 6P Plastic enclosure, Switch-disconnector	XXXXXX
99	20A 2P Plastic enclosure, Switch-disconnector	XXXXXX
100	20A 3P Plastic enclosure, Switch-disconnector	XXXXXX
101	20A 4P Plastic enclosure, Switch-disconnector	XXXXXX
102	20A 6P Plastic enclosure, Switch-disconnector	XXXXXX
103	32A 2P Plastic enclosure, Switch-disconnector	XXXXXX
104	32A 3P Plastic enclosure, Switch-disconnector	XXXXXX
105	32A 4P Plastic enclosure, Switch-disconnector	XXXXXX
106	32A 6P Plastic enclosure, Switch-disconnector	XXXXXX
107	40A 2P Plastic enclosure, Switch-disconnector	XXXXXX
108	40A 3P Plastic enclosure, Switch-disconnector	XXXXXX
109	40A 4P Plastic enclosure, Switch-disconnector	XXXXXX
110	40A 6P Plastic enclosure, Switch-disconnector	XXXXXX
111	10A 2P Plastic enclosure, Switch-disconnector	XXXXXX
112	10A 3P Plastic enclosure, Switch-disconnector	XXXXXX
113	10A 4P Plastic enclosure, Switch-disconnector	XXXXXX
114	10A 6P Plastic enclosure, Switch-disconnector	XXXXXX
115	20A 2P Plastic enclosure, Switch-disconnector	XXXXXX
116	20A 3P Plastic enclosure, Switch-disconnector	XXXXXX
117	20A 4P Plastic enclosure, Switch-disconnector	XXXXXX
118	20A 6P Plastic enclosure, Switch-disconnector	XXXXXX
119	32A 2P Plastic enclosure Switch-disconnector	XXXXXX
120	32A 3P Plastic enclosure Switch-disconnector	XXXXXX

No.	Description	Designation
121	<i>32A 4P Plastic enclosure, Switch-disconnector</i>	XXXXXX
122	<i>32A 6P Plastic enclosure, Switch-disconnector</i>	XXXXXX
123	<i>40A 2P Plastic enclosure, Switch-disconnector</i>	XXXXXX
124	<i>40A 3P Plastic enclosure, Switch-disconnector</i>	XXXXXX
125	<i>40A 4P Plastic enclosure, Switch-disconnector</i>	XXXXXX
126	<i>40A 6P Plastic enclosure, Switch-disconnector</i>	XXXXXX
127	<i>10A 2P Metallic enclosure, Switch-disconnector</i>	XXXXXX
128	<i>10A 3P Metallic enclosure, Switch-disconnector</i>	XXXXXX
129	<i>10A 4P Metallic enclosure Switch-disconnector</i>	XXXXXX
130	<i>10A 6P Metallic enclosure, Switch-disconnector</i>	XXXXXX
131	<i>20A 2P Metallic enclosure, Switch-disconnector</i>	XXXXXX
132	<i>20A 3P Metallic enclosure, Switch-disconnector</i>	XXXXXX
133	<i>20A 4P Metallic enclosure, Switch-disconnector</i>	XXXXXX
134	<i>20A 6P Metallic enclosure Switch-disconnector</i>	XXXXXX
135	<i>32A 2P Metallic enclosure, Switch-disconnector</i>	XXXXXX
136	<i>32A 3P Metallic enclosure, Switch-disconnector</i>	XXXXXX
137	<i>32A 4P Metallic enclosure, Switch-disconnector</i>	XXXXXX
138	<i>32A 6P Metallic enclosure, Switch-disconnector</i>	XXXXXX
139	<i>40A 2P Metallic enclosure, Switch-disconnector</i>	XXXXXX
140	<i>40A 3P Metallic enclosure, Switch-disconnector</i>	XXXXXX
141	<i>40A 4P Metallic enclosure, Switch-disconnector</i>	XXXXXX
142	<i>40A 6P Metallic enclosure, Switch-disconnector</i>	XXXXXX