

EQUIPMENT TYPE APPROVAL

Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years from issuance date, where expiry date is due the Approval Holder shall apply for renewal if needed.

Application Details				
Approval ID: 210291	Approval Holder: Future Power Electrical Equipment W.L.L.			
Approval Type: Distribution Customer Use	Valid Till: 21 June 2026			
Equipment Details				
Category: LV Switchgear & Controlgear	Trademark: <i>C&S</i>			
Description: Annexure-A	Designation: Annexure-A			
Manufacture Details				
Name: C&S Electric LTD	Country of Origin: India			

_				_	
Co	m	m	Δ	nt	٠.
LU			C I	IIL	э.

EDD Requirements Fulfilled

Signature:	Stamp



Chief, Engineering Services Section

TERMS AND CONDITIONS

- **1.** The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
- 2. The Directorate retains the right to publish a censored copy of the approval.
- 3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
- **4.** The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available at EDD Equipment Approval Web Page.
- **5.** The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
- **6.** The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
- **7.** The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
- **8.** The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
- 9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
- 10. The Approval is applicable whenever an Equipment is meeting the following provisions:
 - > Classified in Applicable Standards List as Distribution Customer Use Equipment.
 - Meant to be used in Distribution Customer Installation.
- **11.** The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
- 12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
- **13.** The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
- **14.** The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

ANNEXURE-A

No.	Description	Designation
1	25A, 3P Switch Disconnector	E-CSSD25D3
2	25A, 4P Switch Disconnector	E-CSSD25D4
3	40A, 3P Switch Disconnector	E-CSSD40D3
4	40A, 4P Switch Disconnector	E-CSSD40D4
5	63A, 3P Switch Disconnector	CSSD63K3
6	63A, 4P Switch Disconnector	CSSD63K4
7	80A, 3P Switch Disconnector	E-CSSD80D3
8	80A, 4P Switch Disconnector	E-CSSD80D4
9	100A, 3P Switch Disconnector	E-CSSD100D3
10	100A, 4P Switch Disconnector	E-CSSD100D4
11	125A, 3P Switch Disconnector	E-CSSD125D3
12	125A, 4P Switch Disconnector	E-CSSD125D4
13	100A, 3P Switch Disconnector	E-CSSD100DM3
14	100A, 4P Switch Disconnector	E-CSSD100DM4
15	125A, 3P Switch Disconnector	E-CSSD125DM3
16	125A, 4P Switch Disconnector	E-CSSD125DM4
17	200A, 3P Switch Disconnector	E-CSSD200DM3
18	200A, 4P Switch Disconnector	E-CSSD200DM4
19	250A, 3P Switch Disconnector	E-CSSD250DM3
20	250A, 4P Switch Disconnector	E-CSSD250DM4
21	315A, 3P Switch Disconnector	E-CSSD315DM3
22	315A, 4P Switch Disconnector	E-CSSD315DM4
23	400A, 3P Switch Disconnector	E-CSSD400DM3
24	400A, 4P Switch Disconnector	E-CSSD400DM4
25	400A, 3P Switch Disconnector	CSSD400K3
26	400A, 4P Switch Disconnector	CSSD400K4
27	630A, 3P Switch Disconnector	CSSD630K3
28	630A, 4P Switch Disconnector	CSSD630K4
29	800A, 3P Switch Disconnector	CSSD800K3
30	800A, 4P Switch Disconnector	CSSD800K4