

EQUIPMENT TYPE APPROVAL

Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years from issuance date, where expiry date is due the Approval Holder shall apply for renewal if needed.

Application Details	
Approval ID: <i>210191</i>	Approval Holder: <i>Zaghami Trading W.L.L</i>
Approval Type: <i>Distribution Customer Use</i>	Valid Till: <i>16 Nov 2026</i>
Equipment Details	
Category: <i>Cable Management Systems</i>	Trademark: <i>Metal Mech</i>
Description: <i>Annexure-A</i>	Designation: <i>Annexure-A</i>
Manufacture Details	
Name: <i>Metal Mech Engineering</i>	Country of Origin: <i>India</i>

Comments:

EDD Requirements Fulfilled for the items listed in Annexure-A with all the associated accessories.

Signature:

Stamp:



Chief, Engineering Services Section

TERMS AND CONDITIONS

1. The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
2. The Directorate retains the right to publish a censored copy of the approval.
3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
4. The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available at EDD Equipment Approval Web Page.
5. The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
6. The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
7. The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
10. The Approval is applicable whenever an Equipment is meeting the following provisions:
 - Classified in Applicable Standards List as Distribution Customer Use Equipment.
 - Meant to be used in Distribution Customer Installation.
11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
13. The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
14. The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

ANNEXURE-A

No.	Description	Designation
1	<i>PG Cable Gland IP68 PG 7</i>	<i>MMP7S - 6.5</i>
2	<i>PG Cable Gland IP68 PG 9</i>	<i>MMP9S - 8</i>
3	<i>PG Cable Gland IP68 PG 11</i>	<i>MMP11S - 10</i>
4	<i>PG Cable Gland IP68 PG 13.5</i>	<i>MMP13.5S - 12</i>
5	<i>PG Cable Gland IP68 PG 16</i>	<i>MMP16S - 14</i>
6	<i>PG Cable Gland IP68 PG 21</i>	<i>MMP21S - 18</i>
7	<i>PG Cable Gland IP68 PG 29</i>	<i>MMP29S - 25</i>
8	<i>PG Cable Gland IP68 PG 36</i>	<i>MMP36S - 32</i>
9	<i>PG Cable Gland IP68 PG 42</i>	<i>MMP42S - 38</i>
10	<i>PG Cable Gland IP68 PG 48</i>	<i>MMP48S - 44</i>
11	<i>Metric Cable Gland IP68 M12*1.5</i>	<i>MM-M12S-6.5</i>
12	<i>Metric Cable Gland IP68 M12*1.5</i>	<i>MM-M12S-8</i>
13	<i>Metric Cable Gland IP68 M16*1.5</i>	<i>MM-M16S-8</i>
14	<i>Metric Cable Gland IP68 M16*1.5</i>	<i>MM-M16S-10</i>
15	<i>Metric Cable Gland IP68 M20*1.5</i>	<i>MM-M20S-12</i>
16	<i>Metric Cable Gland IP68 M20*1.5</i>	<i>MM-M20S-14</i>
17	<i>Metric Cable Gland IP68 M25*1.5</i>	<i>MM-M25S-16</i>
18	<i>Metric Cable Gland IP68 M25*1.5</i>	<i>MM-M25S-14</i>
19	<i>Metric Cable Gland IP68 M25*1.5</i>	<i>MM-M25S-18</i>
20	<i>Metric Cable Gland IP68 M32*1.5</i>	<i>MM-M32S-25</i>
21	<i>Metric Cable Gland IP68 M32*1.5</i>	<i>MM-M32S-20</i>
22	<i>Metric Cable Gland IP68 M40*1.5</i>	<i>MM-M40S-28</i>
23	<i>Metric Cable Gland IP68 M40*1.5</i>	<i>MM-M40S-23</i>
24	<i>Metric Cable Gland IP68 M40*1.5</i>	<i>MM-M40S-32</i>
25	<i>Metric Cable Gland IP68 M50*1.5</i>	<i>MM-M50S-35</i>
26	<i>Metric Cable Gland IP68 M50*1.5</i>	<i>MM-M50S-29</i>
27	<i>Metric Cable Gland IP68 M50*1.5</i>	<i>MM-M50S-38</i>
28	<i>Metric Cable Gland IP68 M63*1.5</i>	<i>MM-M63S-44</i>
29	<i>Metric Cable Gland IP68 M63*1.5</i>	<i>MM-M63S-35</i>
30	<i>Metric Cable Gland IP68 M75*2</i>	<i>MM-M75S-55</i>
31	<i>Metric Cable Gland IP68 M75*2</i>	<i>MM-M76S-60</i>
32	<i>E1W Cable Gland E1W 20L</i>	<i>MM-EW-20L</i>
33	<i>E1W Cable Gland E1W 20S</i>	<i>MM-EW-20S</i>
34	<i>E1W Cable Gland E1W 25L</i>	<i>MM-EW-25L</i>
35	<i>E1W Cable Gland E1W 25S</i>	<i>MM-EW-25S</i>
36	<i>E1W Cable Gland E1W 32L</i>	<i>MM-EW-32L</i>
37	<i>E1W Cable Gland E1W 32S</i>	<i>MM-EW-32S</i>
38	<i>E1W Cable Gland E1W 40L</i>	<i>MM-EW-40L</i>
39	<i>E1W Cable Gland E1W 40S</i>	<i>MM-EW-40S</i>
40	<i>E1W Cable Gland E1W 63L</i>	<i>MM-EW-63L</i>

No.	Description	Designation
41	<i>E1W Cable Gland E1W 63S</i>	<i>MM-EW-63S</i>
42	<i>E1W Cable Gland E1W 75L</i>	<i>MM-EW-75L</i>
43	<i>E1W Cable Gland E1W 75S</i>	<i>MM-EW-75S</i>
44	<i>E1W Cable Gland E1W 90L</i>	<i>MM-EW-90L</i>
45	<i>A1/A2 Cable Gland A1/A2 20S</i>	<i>MM-A1A2-20S</i>
46	<i>A1/A2 Cable Gland A1/A2-20L</i>	<i>MM-A1A2-20L</i>
47	<i>A1/A2 Cable Gland A1/A2-25S</i>	<i>MM-A1A2-25S</i>
48	<i>A1/A2 Cable Gland A1-A2-25L</i>	<i>MM-A1A2-25L</i>
49	<i>A1/A2 Cable Gland A1-A2-32L</i>	<i>MM-A1A2-32L</i>
50	<i>A1/A2 Cable Gland A1-A2-40S</i>	<i>MM-A1A2-40S</i>
51	<i>A1/A2 Cable Gland A1-A2-40L</i>	<i>MM-A1A2-40L</i>
52	<i>A1/A2 Cable Gland A1-A2-50S</i>	<i>MM-A1A2-50S</i>
53	<i>A1/A2 Cable Gland A1-A2-50L</i>	<i>MM-A1A2-50L</i>
54	<i>A1/A2 Cable Gland A1-A2-63S</i>	<i>MM-A1A2-63S</i>
55	<i>A1/A2 Cable Gland A1-A2-63L</i>	<i>MM-A1A2-63L</i>
56	<i>A1/A2 Cable Gland A1-A2-75S</i>	<i>MM-A1A2-75S</i>
57	<i>A1/A2 Cable Gland A1-A2-75L</i>	<i>MM-A1A2-75L</i>
58	<i>A1/A2 Cable Gland A1-A2-90</i>	<i>MM-A1A2-90</i>
59	<i>Single Compression cable gland CW4-20S</i>	<i>MM-CW4-20S</i>
60	<i>Single Compression cable gland CW4-20L</i>	<i>MM-CW4-20L</i>
61	<i>Single Compression cable gland CW4-25S</i>	<i>MM-CW4-25S</i>
62	<i>Single Compression cable gland CW4-25L</i>	<i>MM-CW4-25L</i>
63	<i>Single Compression cable gland CW4-32</i>	<i>MM-CW4-32</i>
64	<i>Single Compression cable gland CW4-40</i>	<i>MM-CW4-40</i>
65	<i>Single Compression cable gland CW4-50L</i>	<i>MM-CW4-50L</i>
66	<i>Single Compression cable gland CW4-63S</i>	<i>MM-CW4-63S</i>
67	<i>Single Compression cable gland CW4-63L</i>	<i>MM-CW4-63L</i>
68	<i>Single Compression cable gland CW4-75S</i>	<i>MM-CW4-75S</i>
69	<i>Single Compression cable gland CW-75L</i>	<i>MM-CW-75L</i>
70	<i>Single Compression cable gland CW-90</i>	<i>MM-CW-90</i>
71	<i>Single Compression cable gland CW-420I</i>	<i>MM-CW-420L</i>
72	<i>Single Compression cable gland BW4-20S</i>	<i>MM-BW4-20S</i>
73	<i>Single Compression cable gland BW4-20L</i>	<i>MM-BW4-20L</i>
74	<i>Single Compression cable gland BW4-25S</i>	<i>MM-BW4-25S</i>
75	<i>Single Compression cable gland BW4-25L</i>	<i>MM-BW4-25L</i>
76	<i>Single Compression cable gland BW4-32</i>	<i>MM-BW4-32</i>
77	<i>Single Compression cable gland BW4-40S</i>	<i>MM-BW4-40S</i>
78	<i>Single Compression cable gland BW4-40L</i>	<i>MM-BW4-40L</i>
79	<i>Single Compression cable gland BW4-50S</i>	<i>MM-BW4-50S</i>
80	<i>Single Compression cable gland BW4-50L</i>	<i>MM-BW4-50L</i>

No.	Description	Designation
81	Single Compression cable gland BW4-63S	MM-BW4-63S
82	Single Compression cable gland BW4-63L	MM-BW4-63L
83	Single Compression cable gland BW4-75S	MM-BW4-75S
84	Single Compression cable gland BW4-75L	MM-BW4-75L
85	Single Compression cable gland BW4-90L	MM-BW4-90L
86	Single Compression cable gland BW-420L	MM-BW-420L
87	Explosion proof EX A2F Gland 20S16	XXXXXXX
88	Explosion proof EX A2F Gland 20S	XXXXXXX
89	Explosion proof EX A2F Gland 20	XXXXXXX
90	Explosion proof EX A2F Gland 25	XXXXXXX
91	Explosion proof EX A2F Gland 32	XXXXXXX
92	Explosion proof EX A2F Gland 40	XXXXXXX
93	Explosion proof EX A2F Gland 50S	XXXXXXX
94	Explosion proof EX A2F Gland 50	XXXXXXX
95	Explosion proof EX A2F Gland 63S	XXXXXXX
96	Explosion proof EX A2F Gland 75S	XXXXXXX
97	Explosion proof EX A2F Gland 75	XXXXXXX
98	Explosion proof EX A2F Gland 90	XXXXXXX
99	Explosion proof EX E1FUNV Gland M20S16	XXXXXXX
100	Explosion proof EX E1FUNV Gland M20S16	XXXXXXX
101	Explosion proof EX E1FUNV Gland M20	XXXXXXX
102	Explosion proof EX E1FUNV Gland M25S	XXXXXXX
103	Explosion proof EX E1FUNV Gland M25	XXXXXXX
104	Explosion proof EX E1FUNV Gland M32*1.5	XXXXXXX
105	Explosion proof EX E1FUNV Gland M40*1.5	XXXXXXX
106	Explosion proof EX E1FUNV Gland M50S	XXXXXXX
107	Explosion proof EX E1FUNV Gland M50	XXXXXXX
108	Explosion proof EX E1FUNV Gland M63S	XXXXXXX
109	Explosion proof EX E1FUNV Gland M63	XXXXXXX
110	Explosion proof EX E1FUNV Gland M75S	XXXXXXX
111	Explosion proof EX E1FUNV Gland M75	XXXXXXX
112	Explosion proof EX E1FUNV Gland M90	XXXXXXX