



EQUIPMENT TYPE APPROVAL

Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years from issuance date, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details	
Approval ID: <i>230221</i>	Approval Holder: <i>Energys Cables International</i>
Approval Type: <i>Distribution Customer Use</i>	Valid Till: <i>02/08/2028</i>
Equipment Details	
Category: <i>LV Electric Cables</i>	Trademark: <i>Energys</i>
Description: <i>Annexure-A</i>	Designation: <i>Annexure-A</i>
Manufacture Details	
Name: <i>Jeddah Cables Company</i>	Country of Origin: <i>Saudi Arabia</i>

Comments:

Other items will be considered for approval after incorporating the following comments:

- 1) Each application shall maximally comprise 40 types of material from the same Category, Trademark, and Manufacturing Facility.*
- 2) Submission of applicable type test reports from independent laboratory accredited by national body for all cable types.*
- 3) Submission of requested cable types in excel sheet, the list shall enclose specific cable type description (not range), designation (if applicable), type test report Reference. .*
- 4) Each submittal shall be provided in separate files and named as per Application Form Checklist (Ex; Application Form, Type Test Report.....etc.), combining all submittals in one file is not acceptable.*

Signature:

Stamp:



Director, Electricity Distribution



To: info@cables.energys.com

TERMS AND CONDITIONS

1. The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
2. The Directorate retains the right to publish a censored copy of the approval.
3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
4. The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available on EDD Equipment Approval Web Page.
5. The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
6. The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
7. The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
10. The Approval is applicable whenever an Equipment is meeting the following provisions:
 - A. Classified in Applicable Standards List as Distribution Customer Use Equipment.
 - B. Meant to be used in Distribution Customer Installation.
11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
13. The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
14. The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

ANNEXURE-A

No.	Description	Designation
1	0.6/1kV 1x300mm ² Cu/XLPE/PVC	XXXXXX
2	0.6/1kV 1x240mm ² Cu/XLPE/PVC	XXXXXX
3	0.6/1kV 1x185mm ² Cu/XLPE/PVC	XXXXXX
4	0.6/1kV 1x150mm ² Cu/XLPE/PVC	XXXXXX
5	0.6/1kV 1x120mm ² Cu/XLPE/PVC	XXXXXX
6	0.6/1kV 1x95mm ² Cu/XLPE/PVC	XXXXXX
7	0.6/1kV 1x70mm ² Cu/XLPE/PVC	XXXXXX
8	0.6/1kV 1x50mm ² Cu/XLPE/PVC	XXXXXX
9	0.6/1kV 1x300mm ² Cu/XLPE/AWA/PVC	XXXXXX
10	0.6/1kV 1x240mm ² Cu/XLPE/AWA/PVC	XXXXXX
11	0.6/1kV 1x185mm ² Cu/XLPE/AWA/PVC	XXXXXX
12	0.6/1kV 1x150mm ² Cu/XLPE/AWA/PVC	XXXXXX
13	0.6/1kV 1x120mm ² Cu/XLPE/AWA/PVC	XXXXXX
14	0.6/1kV 1x95mm ² Cu/XLPE/AWA/PVC	XXXXXX
15	0.6/1kV 1x70mm ² Cu/XLPE/AWA/PVC	XXXXXX
16	0.6/1kV 1x50mm ² Cu/XLPE/AWA/PVC	XXXXXX
17	300/500V 3x2.5mm ² H05V2V2-F Cu/PVC/PVC	XXXXXX
18	300/500V 3x1.5mm ² H05V2V2-F Cu/PVC/PVC	XXXXXX
19	300/500V 3x0.5mm ² H05V2V2-F Cu/PVC/PVC	XXXXXX
20	0.6/1kV 4x300mm ² Cu/XLPE/SWA/PVC	XXXXXX
21	0.6/1kV 4x240mm ² Cu/XLPE/SWA/PVC	XXXXXX
22	0.6/1kV 4x185mm ² Cu/XLPE/SWA/PVC	XXXXXX
23	0.6/1kV 4x150mm ² Cu/XLPE/SWA/PVC	XXXXXX
24	0.6/1kV 4x120mm ² Cu/XLPE/SWA/PVC	XXXXXX
25	0.6/1kV 4x95mm ² Cu/XLPE/SWA/PVC	XXXXXX
26	0.6/1kV 4x70mm ² Cu/XLPE/SWA/PVC	XXXXXX
27	0.6/1kV 4x50mm ² Cu/XLPE/SWA/PVC	XXXXXX
28	0.6/1kV 4x35mm ² Cu/XLPE/SWA/PVC	XXXXXX
29	0.6/1kV 4x25mm ² Cu/XLPE/SWA/PVC	XXXXXX
30	0.6/1kV 4x16mm ² Cu/XLPE/SWA/PVC	XXXXXX
31	0.6/1kV 4x10mm ² Cu/XLPE/SWA/PVC	XXXXXX
32	0.6/1kV 4x6mm ² Cu/XLPE/SWA/PVC	XXXXXX
33	0.6/1kV 4x4mm ² Cu/XLPE/SWA/PVC	XXXXXX
34	0.6/1kV 4x2.5mm ² Cu/XLPE/SWA/PVC	XXXXXX
35	0.6/1kV 4x1.5mm ² Cu/XLPE/SWA/PVC	XXXXXX
36	0.6/1kV 4X300mm ² Al/XLPE/SWA/PVC	XXXXXX
37	0.6/1kV 4X240mm ² Al/XLPE/SWA/PVC	XXXXXX
38	0.6/1kV 4X185mm ² Al/XLPE/SWA/PVC	XXXXXX
39	0.6/1kV 4X150mm ² Al/XLPE/SWA/PVC	XXXXXX
40	0.6/1kV 4X120mm ² Al/XLPE/SWA/PVC	XXXXXX

