



## EQUIPMENT TYPE APPROVAL

### Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details	
Approval ID: <i>230460</i>	Approval Holder: <i>Kar Trading W.L.L</i>
Approval Type: <i>Distribution Customer Use</i>	Valid Till: <i>03/22/2028</i>
Equipment Details	
Category: <i>Cable Management System</i>	Trademark: <i>Hotace</i>
Description: <i>Annexure-A</i>	Designation: <i>Annexure-A</i>
Manufacturer Details	
Name: <i>National Plastic Factory LLC</i>	Country of Origin: <i>Oman</i>

#### Comments:

*PVC Flexible Corrugated Conduits (HWCFC20 & HWCFC25) will be considered for approval after the submission of Full Type Test Report from independent laboratory accredited by national body in accordance with relevant standards*

Signature:

03/23/2023 02:21 PM

Director, Electricity Distribution

Stamp:



To: [s.jesin@kar-group.com](mailto:s.jesin@kar-group.com)

## TERMS AND CONDITIONS

1. The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
2. The Directorate retains the right to publish a censored copy of the approval.
3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
4. The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available on EDD Equipment Approval Web Page.
5. The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
6. The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
7. The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
10. The Approval is applicable whenever an Equipment is meeting the following provisions:
  - A. Classified in Applicable Standards List as Distribution Customer Use Equipment.
  - B. Meant to be used in Distribution Customer Installation.
11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
13. The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
14. The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

**ANNEXURE-A**

<b>No.</b>	<b>Description</b>	<b>Designation</b>
1	UPVC Conduit Hotace 20x1.6mm	HCP 20/MW
2	UPVC Conduit Hotace 20x1.8mm	HCP 20/HW
3	UPVC Conduit Hotace 25x1.8mm	HCP 25/MW
4	UPVC Conduit Hotace 25x1.9mm	HCP 25/HW
5	UPVC Conduit Hotace 32x2.1mm	HCP 32/MW
6	UPVC Conduit Hotace 32x2.5mm	HCP 32/HW
7	UPVC Conduit Hotace 38x2.2mm	HCP 38/MW
8	UPVC Conduit Hotace 38x2.5mm	HCP 38/HW
9	UPVC Conduit Hotace 50x2.5mm	HCP 50/MW
10	UPVC Conduit Hotace 50x3.2mm	HCP 50/HW
11	20mm "1 Way" Junction Box	HW 20/1
12	20mm "2 Way" Junction Box	HW 20/2S
13	20mm "2 Way Angle" Junction Box	HW 20/2A
14	20mm "3 Way" Junction Box	HW 20/3
15	20mm "4 Way" Junction Box	HW 20/4
16	20mm "U Way" Junction Box	HW 20/U
17	20mm "Y Way" Junction Box	HW 20/Y
18	20mm "H Way" Junction Box	HW 20/HW
19	25mm "1 Way" Junction Box	HW 25/1
20	25mm "2 Way" Junction Box	HW 25/2S
21	25mm "2 Way Angle" Junction Box	HW 25/2A
22	25mm "3 Way" Junction Box	HW 25/3
23	25mm "4 Way" Junction Box	HW 25/4
24	25mm "U Way" Junction Box	HW 25/U
25	25mm "Y Way" Junction Box	HW 25/Y
26	25mm "H Way" Junction Box	HW 25/HW
27	6x3 Surface Mounting Box	HW 6X3/B
28	3x3 Surface Mounting Box	HW 3X3/B
29	6x3 Flush Box	HWFB 6X3
30	3x3 Flush Box	HWFB 3X3
31	4x4 (75 X 75) Adaptable Box	HW 4X4/AB
32	6x4 (150 X 75) Adaptable Box	HW 6X4/AB
33	6x6 (150 X 150) Adaptable Box	HW 6X6/AB
34	9x9 (225 X 225) Adaptable Box	HW 9X9/AB
35	12x12 (300 X 300) Adaptable Box	HW 12X12/AB