

## **EQUIPMENT TYPE APPROVAL**

## Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details		
Approval ID: 230590	Approval Holder: Schneider Electric	
Approval Type: Distribution Customer Use	Valid Till: 04/26/2028	
Equipment Details		
Category: LV Switchgears	Trademark: Schneider Electric	
Description: Annexure-A	Designation: Annexure-A	
Manufacturer Details		
Name: Schneider Electric Industries SAS	Country of Origin: France	

**Comments:** 

**EDD Requirements Fulfilled** 

Signature:

Stamp:

04/27/2023 03:37 PM

**Director, Electricity Distribution** 

To: aamir.siddiqui@se.com

## **TERMS AND CONDITIONS**

- **1.** The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
- 2. The Directorate retains the right to publish a censored copy of the approval.
- 3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
- **4.** The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available on EDD Equipment Approval Web Page.
- **5.** The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
- **6.** The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
- **7.** The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
- 8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
- 9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
- 10. The Approval is applicable whenever an Equipment is meeting the following provisions:
  - A. Classified in Applicable Standards List as Distribution Customer Use Equipment.
  - **B.** Meant to be used in Distribution Customer Installation.
- 11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
- 12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
- **13.** The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
- **14.** The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

## **ANNEXURE-A**

No.	Description	Designation
1	0.5A 4P Icn=15000A MCB	Acti9 iC60L 4P 0,5A B
2	1A 4P Icn=15000A MCB	Acti9 iC60L 4P 1A B
3	2A 4P Icn=15000A MCB	Acti9 iC60L 4P 2A B
4	3A 4P Icn=15000A MCB	Acti9 iC60L 4P 3A B
5	4A 4P Icn=15000A MCB	Acti9 iC60L 4P 4A B
6	6A 4P Icn=15000A MCB	Acti9 iC60L 4P 6A B
7	10A 4P Icn=15000A MCB	Acti9 iC60L 4P 10A B
8	13A 4P Icn=15000A MCB	Acti9 iC60L 4P 13A B
9	16A 4P Icn=15000A MCB	Acti9 iC60L 4P 16A B
10	20A 4P Icn=15000A MCB	Acti9 iC60L 4P 20A B
11	25A 4P Icn=15000A MCB	Acti9 iC60L 4P 25A B
12	32A 4P Icn=15000A MCB	Acti9 iC60L 4P 32A B
13	40A 4P Icn=15000A MCB	Acti9 iC60L 4P 40A B
14	0.5A 1P Icn=15000A MCB	Acti9 iC60L 1P 0,5A C
15	1A 1P Icn=15000A MCB	Acti9 iC60L 1P 1A C
16	2A 1P Icn=15000A MCB	Acti9 iC60L 1P 2A C
<i>17</i>	3A 1P Icn=15000A MCB	Acti9 iC60L 1P 3A C
18	4A 1P Icn=15000A MCB	Acti9 iC60L 1P 4A C
19	6A 1P Icn=15000A MCB	Acti9 iC60L 1P 6A C
20	10A 1P Icn=15000A MCB	Acti9 iC60L 1P 10A C
21	13A 1P Icn=15000A MCB	Acti9 iC60L 1P 13A C
22	16A 1P Icn=15000A MCB	Acti9 iC60L 1P 16A C
23	20A 1P Icn=15000A MCB	Acti9 iC60L 1P 20A C
24	25A 1P Icn=15000A MCB	Acti9 iC60L 1P 25A C
25	32A 1P Icn=15000A MCB	Acti9 iC60L 1P 32A C
26	40A 1P Icn=15000A MCB	Acti9 iC60L 1P 40A C
27	0.5A 2P Icn=15000A MCB	Acti9 iC60L 2P 0,5A C
28	1A 2P Icn=15000A MCB	Acti9 iC60L 2P 1A C
29	2A 2P Icn=15000A MCB	Acti9 iC60L 2P 2A C
30	3A 2P Icn=15000A MCB	Acti9 iC60L 2P 3A C
31	4A 2P Icn=15000A MCB	Acti9 iC60L 2P 4A C
32	6A 2P Icn=15000A MCB	Acti9 iC60L 2P 6A C
33	10A 2P Icn=15000A MCB	Acti9 iC60L 2P 10A C
34	13A 2P Icn=15000A MCB	Acti9 iC60L 2P 13A C
<i>35</i>	16A 2P Icn=15000A MCB	Acti9 iC60L 2P 16A C
36	20A 2P Icn=15000A MCB	Acti9 iC60L 2P 20A C
<i>37</i>	25A 2P Icn=15000A MCB	Acti9 iC60L 2P 25A C
38	32A 2P Icn=15000A MCB	Acti9 iC60L 2P 32A C
39	40A 2P Icn=15000A MCB	Acti9 iC60L 2P 40A C