

### **EQUIPMENT TYPE APPROVAL**

#### Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details			
Approval ID: 231079	Approval Holder: Falcon Electrical S.P.C.		
Approval Type: Distribution Customer Use	Valid Till: 09/04/2028		
Equipment Details			
Category: Cable Management System	Trademark: <i>EMI</i>		
Description: Annexure-A	Designation: Annexure-A		
Manufacturer Details			
Name: Everest Metal Industries LLC	Country of Origin: <i>United Arab Emirates</i>		

#### **Comments:**

EDD Requirements Fulfilled, Associated Fitting Accessories Approved.

Signature:

Stamp:

09/05/2023 02:32 PM

**Director, Electricity Distribution** 

THE WATER AN

#### **TERMS AND CONDITIONS**

- **1.** The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
- 2. The Directorate retains the right to publish a censored copy of the approval.
- 3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
- **4.** The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available on EDD Equipment Approval Web Page.
- **5.** The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
- **6.** The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
- **7.** The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
- 8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
- 9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
- 10. The Approval is applicable whenever an Equipment is meeting the following provisions:
  - A. Classified in Applicable Standards List as Distribution Customer Use Equipment.
  - **B.** Meant to be used in Distribution Customer Installation.
- 11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
- 12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
- **13.** The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
- **14.** The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

# **ANNEXURE-A**

No.	Description	Designation
1	GI TRUNKING 50X50X1.0MM THK. X 3 MTR. LTH. C/W COVER, COUPLER & HWRS	TSL/22/10PG
2	GI TRUNKING 75X50X1.0MM THK. X 3 MTR. LTH. C/W COVER, COUPLER & HWRS	TSL/32/10PG
3	GI TRUNKING 75X75X1.0MM THK. X 3 MTR. LTH. C/W COVER, COUPLER & HWRS	TSL/33/10PG
4	GI TRUNKING 100X50X1.2MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/42/12PG
5	GI TRUNKING 100X75X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER	TSL/43/15PG
6	GI TRUNKING 100X100X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER	TSL/44/15PG
7	GI TRUNKING 150X50X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/62/15PG
8	GI TRUNKING 200X50X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/82/15PG
9	GI TRUNKING 225X50X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/92/15PG
10	GI TRUNKING 300X50X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/122/15PG
11	GI TRUNKING 150X100X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/64/15PG
12	GI TRUNKING 200X100X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/84/15PG
13	GI TRUNKING 225X100X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/94/15PG
14	GI TRUNKING 300X100X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/124/15PG
15	GI TRUNKING 150X150X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/66/15PG
16	GI TRUNKING 200X150X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/86/15PG
17	GI TRUNKING 225X150X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/96/15PG
18	GI TRUNKING 300X150X1.5MM THK. X 3 MTR. LTH.  C/W COVER, COUPLER & HWRS	TSL/126/15PG
_	-	-
-	-	-
-	-	-
_	-	-
_	-	-
-	-	-
_	-	-
-	-	-
-	-	-
-	-	-
-	-	-

## Approval ID: 231079

-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-