

EQUIPMENT TYPE APPROVAL

Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details			
Approval ID: 231106	Approval Holder: Kar Trading W.L.L		
Approval Type: Distribution Customer Use	Valid Till: 10/10/2028		
Equipment Details			
Category: Cable Management System	Trademark: Power Solutions		
Description: Annexure-A	Designation: Annexure-A		
Manufacturer Details			
Name: Power Solutions Industries L.L.C	Country of Origin: <i>United Arab Emirates</i>		

Comments:

EDD Requirements Fulfilled

Signature:

Stamp:

10/12/2023 12:43 PM

Director, Electricity Distribution

To: s.jesin@kar-group.com

TERMS AND CONDITIONS

- **1.** The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
- 2. The Directorate retains the right to publish a censored copy of the approval.
- 3. The Approval Holder shall observe and adhere to the latest relevant regulations and standards.
- **4.** The Approval Holder shall observe and adhere to the latest EDD Equipment Approval guidelines and instructions which are made available on EDD Equipment Approval Web Page.
- **5.** The Approval Holder shall ensure that an Equipment is in compliance with the latest relevant regulations and standards, and it shall not cause any harm that endangers the safety of persons, property, or environment.
- **6.** The Approval Holder shall ensure that all provided information are accurate, relevant, correct, and complete, and that the documents submitted along with the application are true, genuine, and authentic.
- **7.** The Approval Holder shall provide any required information, documents, and samples necessary to demonstrate Equipment conformity with the latest relevant regulations and standards.
- 8. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
- 9. The Approval Holder is responsible to present the approval in full without any omissions upon request.
- 10. The Approval is applicable whenever an Equipment is meeting the following provisions:
 - A. Classified in Applicable Standards List as Distribution Customer Use Equipment.
 - **B.** Meant to be used in Distribution Customer Installation.
- 11. The Approval Holder for this approval shall be Supplier licensed by MOIC to place Equipment on local market.
- 12. The Approval Holder shall apply for the approval before placing any Equipment on local market.
- **13.** The Approval Holder is responsible to ensure that the approved Equipment is manufactured, tested, delivered, and stored in accordance with the latest relevant regulation and standards.
- **14.** The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

ANNEXURE-A

No.	Description	Designation
1	CABLE TRAY 750 X 100 X 2.0MM HDG	XXDT/750/20/HDG
2	CABLE TRUNKING 50 X 50 X 1.0MM GI-Pre Galvanized	J-C/T-2-2/10/PG
3	CABLE TRUNKING 100 X 100 X 1.2MM GI-Pre Galvanized	J-C/T-4-4/12/PG
4	CABLE TRUNKING 150 X 150 X 1.5MM GI-Pre	J-C/T-6-6/15/PG
_	Galvanized	1.0/7.0.0/4.5/0.0
5	CABLE TRUNKING 50 X 50 X 1.5MM GI-Pre Galvanized	J-C/T-2-2/15/PG
6	CABLE TRUNKING 100 X 100 X 1.5MM GI-Pre Galvanized	J-C/T-4-4/15/PG
7	CABLE TRUNKING 100 X 100 X 1.2MM HDG	J-C/T-4-4/12/HDG
8	CABLE TRUNKING 100 X 100 X 1.5MM HDG	J-C/T-4-4/15/HDG
9	CABLE TRUNKING 150 X 150 X 1.5MM HDG	J-C/T-6-6/15/HDG
10	CABLE TRAY 100X50X1.5MM (EPOXY COATED)	HDT/100/15/PC
11	CABLE TRAY 150 X 50 X 1.5MM (EPOXY COATED)	HDT/150/15/PC
12	CABLE TRAY 300 X 50 X 1.5MM (EPOXY COATED)	HDT/300/15/PC
13	CABLE TRAY 450 X 50 X 2.0MM (EPOXY COATED)	HDT/450/20/PC
14	CABLE TRAY 600 X 50 X 2.0MM (EPOXY COATED)	HDT/600/20/PC
15	SLOTTED CHANNEL 41X41X2.0X3000MM GI-Pre Galvanized	SC/44/20/PG
16	SLOTTED CHANNEL 41X21X2.0X3000MM GI-Pre	SC/42/20/PG
17	Galvanized	56/44/25/UD6
17	SLOTTED CHANNEL 41X41X2.5X3000MM HDG	SC/44/25/HDG
18 -	SLOTTED CHANNEL 41X21X2.5X3000MM HDG -	SC/42/25/HDG -
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-