

EQUIPMENT TYPE APPROVAL


Distribution Customer Use

We hereby confirm that below detailed Equipment is in compliance with the latest relevant regulations and standards, therefore it is **Approved** to be used in Distribution Customer Installation for five years, where expiry date is due the Approval Holder shall apply for renewal if needed.

Approval Details		
Approval ID: 241628	Approval Holder: Amadbaeed Electrical W.L.L.	
Approval Type: Distribution Customer Use	Valid Till: 03/11/2029	
Equipment Details		
Category: LV Switchgears	Trademark: Scame	
Description: Annexure-A	Designation: Annexure-A	
Manufacturer Details		
Name: Scame Parre S.P.A	Country of Origin: Italy	

Comments:

EDD Requirements Fulfilled



Validation:



This approval is signed electronically, validation of the approval can be confirmed through scanning the QR Code or visiting EWA Official Website.

- 1. The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.
- 2. The Directorate retains the right to publish a censored copy of the approval.
- 3. The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.
- 4. The Approval Holder is responsible to present the approval in full without any omissions upon request.
- 5. The Approval Holder is responsible to ensure that an approved Equipment is manufactured, tested, and delivered in accordance with the latest relevant regulation and standards.
- 6. The Installation Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.
- 7. The Installation Contractor is responsible to validate the approval using above referenced QR Code.



ANNEXURE-A

ID	Description	Designation
241628-1	20Amp 3P Die Cast Aluminium Isolator , W/P	590.HGE2003
241628-2	20Amp 3P+SN Die Cast Aluminium Isolator , W/P	590.HGE2005.SN
241628-3	20Amp 3P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE2005.WSN
241628-4	20Amp 4P Die Cast Aluminium Isolator , W/P	590.HGE2004
241628-5	20Amp 3P+N Die Cast Aluminium Isolator , W/P	590.HGE2005
241628-6	25Amp 2P+SN Die Cast Aluminium Isolator , W/P	590.HGE2502.SN
241628-7	25Amp 2P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE2502.WSN
241628-8	25Amp 2P Die Cast Aluminium Isolator , W/P	590.HGE2502
241628-9	25Amp 3P Die Cast Aluminium Isolator , W/P	590.HGE2503
241628-10	25Amp 3P+SN Die Cast Aluminium Isolator , W/P	590.HGE2505.SN
241628-11	25Amp 3P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE2505.WSN
241628-12	25Amp 3P+N Die Cast Aluminium Isolator , W/P	590.HGE2505
241628-13	32Amp 2P+SN Die Cast Aluminium Isolator , W/P	590.HGE3202.SN
241628-14	32Amp 2P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE3202.WSN
241628-15	32Amp 2P Die Cast Aluminium Isolator , W/P	590.HGE3202
241628-16	32Amp 3P Die Cast Aluminium Isolator , W/P	590.HGE3203
241628-17	32Amp 3P+SN Die Cast Aluminium Isolator , W/P	590.HGE3205.SN
241628-18	32Amp 3P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE3205.WSN
241628-19	32Amp 4P Die Cast Aluminium Isolator , W/P	590.HGE3204
241628-20	32Amp 3P+N Die Cast Aluminium Isolator , W/P	590.HGE3205
241628-21	40Amp 2P+SN Die Cast Aluminium Isolator , W/P	590.HGE4002.SN
241628-22	40Amp 2P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE4002.WSN
241628-23	40Amp 2P Die Cast Aluminium Isolator , W/P	590.HGE4002
241628-24	40Amp 3P Die Cast Aluminium Isolator , W/P	590.HGE4003
241628-25	40Amp 3P+SN Die Cast Aluminium Isolator , W/P	590.HGE4005.SN
241628-26	40Amp 3P+SN Die Cast Aluminium Isolator , W/P High Wiring	590.HGE4005.WSN
241628-27	40Amp 4P Die Cast Aluminium Isolator , W/P	590.HGE4004
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

^{1.} The Directorate reserves the right to deny or disconnect electricity supply in case of any failure to comply with any compulsory provision of the latest relevant regulations and standards enforced by the Kingdom.

^{2.} The Directorate retains the right to publish a censored copy of the approval.

^{3.} The Approval Holder is responsible for retaining all relevant information and documents for five years from issuance date.

^{4.} The Approval Holder is responsible to present the approval in full without any omissions upon request.

^{5.} The Approval Holder is responsible to ensure that an approved Equipment is manufactured, tested, and delivered in accordance with the latest relevant regulation and standards.

^{6.} The MTC Contractor is responsible to ensure that an approved Equipment is installed in accordance with the latest relevant regulation and standards.

^{7.} The MTC Contractor is responsible to validate the approval using above referenced QR Code.