

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* Aleo Solar GmbH	<i>S18Jxxx</i>	<i>mc-Si, xxx= 250 - 255 W (in step of 5)</i>
	<i>S19Lxxx</i>	<i>sc-Si, xxx= 280 - 300 W (in step of 5)</i>
	<i>S19Jxxx</i>	<i>sc-Si, xxx= 265 - 275 W (in step of 5)</i>
	<i>P18Jxxx</i>	<i>mc-Si, xxx= 250 - 260 W (in step of 5)</i>
	<i>P19xxx</i>	<i>mc-Si, xxx= 280 - 295 W (in step of 5)</i>
* Almaden MENA FZE	<i>SEAM 18W - xxx</i>	<i>sc-Si, xxx= 70 - 85 W (in step of 5)</i>
	<i>SEAM 18T - xxx</i>	<i>sc-Si, xxx= 70 - 85 W (in step of 5)</i>
	<i>SEAM 36W - xxx</i>	<i>sc-Si, xxx= 145 - 175 W (in step of 5)</i>
	<i>SEAM 36T - xxx</i>	<i>sc-Si, xxx= 145 - 175 W (in step of 5)</i>
	<i>SEAM 40W - xxx</i>	<i>sc-Si, xxx= 155 - 195 W (in step of 5)</i>
	<i>SEAM 40T - xxx</i>	<i>sc-Si, xxx= 155 - 195 W (in step of 5)</i>
	<i>SEAM 42W - xxx</i>	<i>sc-Si, xxx= 155 - 205 W (in step of 5)</i>
	<i>SEAM 42T - xxx</i>	<i>sc-Si, xxx= 155 - 205 W (in step of 5)</i>
	<i>SEAM 48W - xxx</i>	<i>sc-Si, xxx= 180 - 230 W (in step of 5)</i>
	<i>SEAM 48T - xxx</i>	<i>sc-Si, xxx= 180 - 230 W (in step of 5)</i>
	<i>SEAM 50W - xxx</i>	<i>sc-Si, xxx= 200 - 240 W (in step of 5)</i>
	<i>SEAM 50T - xxx</i>	<i>sc-Si, xxx= 200 - 240 W (in step of 5)</i>
	<i>SEAM 54W - xxx</i>	<i>sc-Si, xxx= 205 - 260 W (in step of 5)</i>
	<i>SEAM 54T - xxx</i>	<i>sc-Si, xxx= 205 - 260 W (in step of 5)</i>
	<i>SEAM 60W - xxx</i>	<i>sc-Si, xxx= 225 - 290 W (in step of 5)</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	SEAM 60T - xxx	sc-Si, xxx= 225 - 290 W (in step of 5)
	SEAM 66W - xxx	sc-Si, xxx= 250 - 320 W (in step of 5)
	SEAM 66T - xxx	sc-Si, xxx= 250 - 320 W (in step of 5)
	SEAM 72W - xxx	sc-Si, xxx= 275 - 350 W (in step of 5)
	SEAM 72T - xxx	sc-Si, xxx= 275 - 350 W (in step of 5)
	SEAP 18W - xxx	mc-Si, xxx= 70 - 85 W (in step of 5)
	SEAP 18T - xxx	mc-Si, xxx= 70 - 85 W (in step of 5)
	SEAP 36W - xxx	mc-Si, xxx= 145 - 170 W (in step of 5)
	SEAP 36T - xxx	mc-Si, xxx= 145 - 170 W (in step of 5)
	SEAP 40W - xxx	mc-Si, xxx= 155 - 185 W (in step of 5)
	SEAP 40T - xxx	mc-Si, xxx= 155 - 185 W (in step of 5)
	SEAP 42W - xxx	mc-Si, xxx= 155 - 195 W (in step of 5)
	SEAP 42T - xxx	mc-Si, xxx= 155 - 195 W (in step of 5)
	SEAP 48W - xxx	mc-Si, xxx= 175 - 225 W (in step of 5)
	SEAP 48T - xxx	mc-Si, xxx= 175 - 225 W (in step of 5)
	SEAP 50W - xxx	mc-Si, xxx= 190 - 235 W (in step of 5)
	SEAP 50T - xxx	mc-Si, xxx= 190 - 235 W (in step of 5)
	SEAP 54W - xxx	mc-Si, xxx= 200 - 250 W (in step of 5)
	SEAP 54T - xxx	mc-Si, xxx= 200 - 250 W (in step of 5)
	SEAP 60W - xxx	mc-Si, xxx= 220 - 280 W (in step of 5)

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>SEAP 60T - xxx</i>	<i>mc-Si, xxx= 220 - 280 W (in step of 5)</i>
	<i>SEAP 66W - xxx</i>	<i>mc-Si, xxx= 240 - 310 W (in step of 5)</i>
	<i>SEAP 66T - xxx</i>	<i>mc-Si, xxx= 240 - 310 W (in step of 5)</i>
	<i>SEAP 72W - xxx</i>	<i>mc-Si, xxx= 295 - 335 W (in step of 5)</i>
	<i>SEAP 72T - xxx</i>	<i>mc-Si, xxx= 295 - 335 W (in step of 5)</i>
	<i>SEAC 18W - xxx</i>	<i>sc-Si, xxx= 90</i>
	<i>SEAC 18T - xxx</i>	<i>sc-Si, xxx= 90</i>
	<i>SEAC 30W - xxx</i>	<i>sc-Si, xxx= 140 - 155 W (in step of 5)</i>
	<i>SEAC 30T - xxx</i>	<i>sc-Si, xxx= 140 - 155 W (in step of 5)</i>
	<i>SEAC 36W - xxx</i>	<i>sc-Si, xxx= 170 - 185 W (in step of 5)</i>
	<i>SEAC 36T - xxx</i>	<i>sc-Si, xxx= 170 - 185 W (in step of 5)</i>
	<i>SEAC 40W - xxx</i>	<i>sc-Si, xxx= 185 - 205 W (in step of 5)</i>
	<i>SEAC 40T - xxx</i>	<i>sc-Si, xxx= 185 - 205 W (in step of 5)</i>
	<i>SEAC 42W - xxx</i>	<i>sc-Si, xxx= 195 - 215 W (in step of 5)</i>
	<i>SEAC 42T - xxx</i>	<i>sc-Si, xxx= 195 - 215 W (in step of 5)</i>
	<i>SEAC 48W - xxx</i>	<i>sc-Si, xxx= 220 - 245 W (in step of 5)</i>
	<i>SEAC 48T - xxx</i>	<i>sc-Si, xxx= 220 - 245 W (in step of 5)</i>
	<i>SEAC 50W - xxx</i>	<i>sc-Si, xxx= 230 - 255 W (in step of 5)</i>
	<i>SEAC 50T - xxx</i>	<i>sc-Si, xxx= 230 - 255 W (in step of 5)</i>
	<i>SEAC 54W - xxx</i>	<i>sc-Si, xxx= 245 - 275 W (in step of 5)</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>SEAC 54T - xxx</i>	<i>sc-Si, xxx= 245 - 275 W (in step of 5)</i>
	<i>SEAC 60W - xxx</i>	<i>sc-Si, xxx= 270 - 310 W (in step of 5)</i>
	<i>SEAC 60T - xxx</i>	<i>sc-Si, xxx= 270 - 310 W (in step of 5)</i>
	<i>SEAC 66W - xxx</i>	<i>sc-Si, xxx= 300 - 340 W (in step of 5)</i>
	<i>SEAC 66T - xxx</i>	<i>sc-Si, xxx= 300 - 340 W (in step of 5)</i>
	<i>SEAC 72W - xxx</i>	<i>sc-Si, xxx= 325 - 370 W (in step of 5)</i>
	<i>SEAC 72T - xxx</i>	<i>sc-Si, xxx= 325 - 370 W (in step of 5)</i>
* Alternative Energy (AE) Solar	<i>AExxxM5-36</i>	<i>sc-Si 90 - 110 W (in step of 5)</i>
	<i>AExxxM5-48</i>	<i>sc-Si 120 - 145W (in step of 5)</i>
	<i>AExxxM5-60</i>	<i>sc-Si 150 - 180 W (in step of 5)</i>
	<i>AExxxM5-72</i>	<i>sc-Si 180 - 215 W (in step of 5)</i>
	<i>AExxxM5-96</i>	<i>sc-Si 240 - 290 W (in step of 5)</i>
	<i>AExxxM6-36</i>	<i>sc-Si 140 - 165 W (in step of 5)</i>
	<i>AExxxM6-48</i>	<i>sc-Si 185 - 225 W (in step of 5)</i>
	<i>AExxxM6-54</i>	<i>sc-Si 210 - 250W (in step of 5)</i>
	<i>AExxxM6-60</i>	<i>sc-Si 230 - 280 W (in step of 5)</i>
	<i>AExxxM6-72</i>	<i>sc-Si 280 - 335 W (in step of 5)</i>
	<i>AExxxP6-36</i>	<i>mc-Si 135 - 160 W (in step of 5)</i>
	<i>AExxxP6-48</i>	<i>mc-Si 180 - 215 W (in step of 5)</i>
	<i>AExxxP6-54</i>	<i>mc-Si 205 - 245 W (in step of 5)</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>AExxxP6-60</i>	<i>mc-Si 225 - 270 W (in step of 5)</i>
	<i>AExxxP6-72</i>	<i>mc-Si 270 - 325 W (in step of 5)</i>
<i>* Azimut</i>	<i>AZM606/xxxP</i>	<i>mc-Si 210 - 275 W (in step of 5)</i>
	<i>AZM666/xxxP</i>	<i>mc-Si 245 - 300 W (in step of 5)</i>
<i>* AVANCIS GmbH</i>	<i>PowerMax 3.5</i>	<i>CIGS (130 - 145, in step of 5 W)</i>
<i>* Anhui Schutten Solar Energy</i>	<i>STP6-XXX/72</i>	<i>sc-Si, mc-Si 245-300W, in steps of 5</i>
	<i>STP6-XXX/60</i>	<i>sc-Si, mc-Si 205-250W, in steps of 5</i>
	<i>STP6-XXX/54</i>	<i>sc-Si, mc-Si 185-225W, in steps of 5</i>
	<i>STP6-XXX/48</i>	<i>sc-Si, mc-Si 165-200W, in steps of 5</i>
	<i>STP6-XXX/36</i>	<i>sc-Si, mc-Si 125-150W, in steps of 5</i>
	<i>STM6-XXX/72</i>	<i>sc-Si, mc-Si 245-300W, in steps of 5</i>
	<i>STM6-XXX/60</i>	<i>sc-Si, mc-Si 205-250W, in steps of 5</i>
	<i>STM6-XXX/54</i>	<i>sc-Si, mc-Si 185-225W, in steps of 5</i>
	<i>STM6-XXX/48</i>	<i>sc-Si, mc-Si 165-200W, in steps of 5</i>
	<i>STM6-XXX/36</i>	<i>sc-Si, mc-Si 125-150W, in steps of 5</i>
<i>* Aplicaciones Tecnicas De La</i>	<i>A-255P</i>	<i>Poly crystalline 255W</i>
	<i>A-260P</i>	<i>Poly crystalline 260W</i>
	<i>A-305P</i>	<i>Poly crystalline 305W</i>
	<i>A-310P</i>	<i>Poly crystalline 310W</i>
	<i>A-315P</i>	<i>Poly crystalline 315W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>A-255M</i>	<i>Mono crystalline 255W</i>
	<i>A-260M</i>	<i>Mono crystalline 260W</i>
	<i>A-265M</i>	<i>Mono crystalline 265W</i>
	<i>A-305M</i>	<i>Mono crystalline 305W</i>
	<i>A-310M</i>	<i>Mono crystalline 310W</i>
	<i>A-315M</i>	<i>Mono crystalline 315W</i>
* Axitec Energy GmbH & CO, KG	<i>AC-260P/156-60S</i>	<i>Poly crystalline 260W</i>
	<i>AC-275M/156-60S</i>	<i>Mono crystalline 275W</i>
	<i>AC-310P/156-72S</i>	<i>Poly crystalline 310W</i>
* AUO TECHNOLOGY/ BENQ SOLAR	<i>PM096BXxx-XXX</i>	<i>mc-s i320-335 W, in step of 5</i>
* BYD	<i>BYD P6C-36</i>	<i>255-315 W sc-Si Poly crystalline</i>
	<i>BYD P6C-30</i>	<i>255-315 W sc-Si Poly crystalline</i>
	<i>BYD 340W P6C-36</i>	<i>MC-SI 340W/ 265-340W</i>
	<i>BYD P6C-30</i>	<i>255-315 W sc-Si Poly crystalline</i>
* BHEL	<i>L20220P</i>	<i>sc-Si, (215-265 W), in step of 1</i>
	<i>L24270P</i>	<i>sc-Si, (260 - 320 W), in step of 1</i>
* Bahmani Mfg & Industrial Tech	<i>NST54</i>	<i>220 Wp - 225 Wp</i>
	<i>NST60</i>	<i>250 Wp - 285 Wp</i>
	<i>NST 72</i>	<i>300 Wp - 345 Wp</i>
* Bluesun Solar Energy	<i>BSM340P-72</i>	<i>340 Wp*</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* Calyxo GmbH	<i>CX3-70</i>	<i>CdTe 70W</i>
	<i>CX3-72</i>	<i>CdTe 72W</i>
	<i>CX1</i>	<i>70W-80W</i>
	<i>CX3</i>	<i>72W-87W</i>
	<i>Cx3pro</i>	<i>72W-90W</i>
	<i>Cxpro/2</i>	<i>80W-90W</i>
* Canadian Solar	<i>CS6P250P</i>	<i>Poly crystalline-Si 250W</i>
	<i>CS6P255P</i>	<i>Poly crystalline-Si 255W</i>
	<i>CS6P260P</i>	<i>Poly crystalline-Si 260W</i>
	<i>CS6P260M</i>	<i>Monocrystalline silicon 260W</i>
	<i>CS6P265M</i>	<i>Monocrystalline silicon 265W</i>
	<i>CS6P270M</i>	<i>Monocrystalline silicon 270W</i>
	<i>CS6X305P</i>	<i>Poly crystalline-Si 305W</i>
	<i>CS6X310P</i>	<i>Poly crystalline-Si 310W</i>
	<i>CS6X315P</i>	<i>Poly crystalline-Si 315W</i>
	<i>CS6K-xxxP-FG</i>	<i>Poly crystalline-260-275, in step of 5</i>
	<i>CS6X-xxxP-FG</i>	<i>Poly crystalline- 315-330, in step of 5</i>
	<i>CS6K-XXX-MS</i>	<i>sc-Si, 290-300 W, in step of 5</i>
	<i>CS3K-xxxMS</i>	<i>sc-Si, 300-315W in step of 5</i>
<i>CS3K-xxxP</i>	<i>mc-Si, 275-290W in step of 5</i>	

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>CS3K-xxxP</i>	<i>mc-Si, 285-300W, in step of 5</i>
	<i>CS3U-xxxMS</i>	<i>sc-Si, 360-375W, in step of 5</i>
	<i>CS3U-xxxP</i>	<i>mc-Si, 330-345W, in step of 5</i>
	<i>CS3U-xxxP</i>	<i>mc-Si, 345-360W, in step of 5</i>
	<i>CS6K-xxxM</i>	<i>sc-Si, 275-290W, in step of 5</i>
	<i>CS6U-xxxM</i>	<i>sc-Si, 330-345W, in step of 5</i>
	<i>CS6X-xxxP</i>	<i>mc-Si, 310-325, in step of 5</i>
	<i>CS6U-xxxP</i>	<i>mc-Si, 325-340W, in step of 5</i>
	<i>CS6K-xxx-P</i>	<i>mc-Si, 265-275W, in step of 5</i>
	<i>CS3W-xxxMS</i>	<i>sc-Si, 435W & 450W</i>
* Caterpillar	<i>PVT110</i>	<i>CdTe 110W</i>
	<i>PVT115</i>	<i>CdTe 115W</i>
	<i>PVT117</i>	<i>CdTe 117W</i>
* Chinaland Solar Energy	<i>CHN250 - 60P</i>	<i>sc-Si 250 W</i>
	<i>CHN260 - 60P</i>	<i>sc-Si 260 W</i>
	<i>CHN300 - 72P</i>	<i>sc-Si 300 W</i>
	<i>CHN310 - 72P</i>	<i>sc-Si 310 W</i>
	<i>CHNXXX-72P</i>	<i>Poly crystalline 315-335, in step of 5W</i>
	<i>CHNXXX-60P</i>	<i>Poly crystalline 265-280, in step of 5W</i>
	<i>CHNXXX-72M</i>	<i>Mono crystalline 330-350, in step of 5W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>CHNXXX-60M</i>	<i>Mono crystalline 275-290, in step of 5W</i>
* Chint Solar (Zhejiang)	<i>CHSM6612P-XXX</i>	<i>mc-Si 315, 320 W</i>
* RECOM AG	<i>RCM-xxx-6MB</i>	<i>MONO-Si 250-280W</i>
	<i>RCM-xxx-6PB</i>	<i>Poly-Si 240-260W</i>
	<i>RCM-xxx-6PB</i>	<i>sc-Si 240-280W</i>
	<i>RCM-xxx-6PB-c-de-f</i>	<i>sc-Si 240-280</i>
	<i>RCM-xxx-6PA-SW</i>	<i>290 to 305 W , in step of 5</i>
	<i>RCM-xxx-6PA-SW</i>	<i>310 to 340 W, in step of 5</i>
	<i>RCM-xxx-6PA-SW</i>	<i>345 to 350 W, in step of 5</i>
* duSol	<i>DS60250W</i>	<i>Mc-Si 250W</i>
	<i>DS72300W</i>	<i>Mc-Si 300W</i>
	<i>DS60270W</i>	<i>MC-Si 270W</i>
	<i>DS60260W</i>	<i>Mc-Si 260W</i>
	<i>DS72200W</i>	<i>Mc-Si 200W</i>
	<i>DS72225W</i>	<i>Mc-Si 225W</i>
	<i>DS72175W</i>	<i>Mc-Si 175W</i>
	<i>DS36150W</i>	<i>MC-Si 150W</i>
	<i>DS36100W</i>	<i>Mc-Si 100W</i>
	<i>DS36125W</i>	<i>Mc-Si 125W</i>
	<i>DS3675W</i>	<i>Mc-Si 75W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>DS3660W</i>	<i>MC-Si 60W</i>
	<i>DS3650w</i>	<i>Mc-Si 50W</i>
	<i>DS3640w</i>	<i>Mc-Si 40W</i>
	<i>DS572380M</i>	<i>Mc-Si 380W</i>
* ECONESS ENERGY	<i>EN156-M-60-265</i>	<i>Mono crysalline 265W</i>
	<i>EN156-M-72-315</i>	<i>Mono crysalline 315W</i>
	<i>EN156-P-60-250</i>	<i>Poly crystalline 250W</i>
	<i>EN156M-60-XXX</i>	<i>SC-Si,215W-280W (in step of 5)</i>
	<i>EN156M-72-XXX</i>	<i>SC-Si,260W-340W (in step of 5)</i>
	<i>EN156P-60-XXX</i>	<i>MC-Si,210W-280W (in step of 5)</i>
	<i>EN156P-72-XXX</i>	<i>MC-Si,255W-340W (in step of 5)</i>
	<i>EN156-P-72-300</i>	<i>Poly crystalline 300W</i>
* Eging Photovoltaic Technology	<i>EG-xxxP60-C</i>	<i>Sc-Si 200-255W</i>
	<i>EG-xxxP72-C</i>	<i>Sc-Si 245-305W</i>
* Einnova Solarline	<i>ES-P672xxxYZ</i>	<i>Sc-Si 250/260/300/310 W</i>
* ET Solar Industry Limited	<i>ET-P660 Series</i>	<i>Poly-Si 250-265W</i>
	<i>ET-P672 Series</i>	<i>Poly-Si 300-315W</i>
	<i>ET-M660 Series</i>	<i>Mono-si 255-270W</i>
	<i>ET-M672 Series</i>	<i>Mono-si 305-320W</i>
* First Solar	<i>FS-4110-2</i>	<i>Cd-Te 110W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>FS-4107A-2</i>	<i>Cd-Te 107.5W</i>
	<i>FS-4110A-2</i>	<i>Cd-Te 110W</i>
	<i>FS-4112A-2</i>	<i>Cd-Te 112.5W</i>
	<i>FS-4112-2</i>	<i>Cd-Te 112.5W</i>
	<i>FS-4105A-2</i>	<i>Cd-Te 105W</i>
	<i>FS-4107-2</i>	<i>Cd-Te 107.5W</i>
	<i>FS-4102A-2</i>	<i>Cd-Te 102.5W</i>
	<i>FS-4105-2</i>	<i>Cd-Te 105W</i>
	<i>FS-4102-2</i>	<i>Cd-Te 102.5W</i>
	<i>FS-4xxx-3</i>	<i>CdTe 105 - 122.5 W</i>
	<i>FS-4xxxA-3</i>	<i>CdTe 105 - 122.5W</i>
* Futurasun	<i>FUXXXM</i>	<i>sc-Si 300-315 Wp</i>
	<i>FUXXXM</i>	<i>sc-Si 245-260 W</i>
	<i>FUXXXP</i>	<i>mc-Si 240-265 Wp</i>
	<i>FUXXXP</i>	<i>mc-Si 295-305 Wp</i>
* GCL System Integration Tech	<i>GCL-P6/72-310</i>	<i>mc-Si 310 W</i>
	<i>GCL-P6/60-xxx</i>	<i>mc-si 260-285W, in step of 5</i>
	<i>GCL-P6/72-xxx</i>	<i>mc-Si 310-330W, in step of 5</i>
	<i>GCL-M6/72Hxxx</i>	<i>sc-si 365-385W, in step of 5</i>
	<i>GCL-P6/72Hxxx</i>	<i>mc-si 350-375W, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>GCL-M3/72H-xxx</i>	<i>sc-si 395-410W, in step of 5</i>
* General Energy Solutions	<i>7NAC000-06Axxx</i>	<i>mc-Si 215-275W</i>
	<i>7NAC000-06Cxxx</i>	<i>mc-Si 255-330W</i>
	<i>7NAC001-06Axxx</i>	<i>mc-Si 195-295W</i>
	<i>7NAC001-06Cxxx</i>	<i>mc-Si 235-350W</i>
	<i>7NAE001-06Axxx</i>	<i>sc-Si 220-300W</i>
	<i>7NAE001-06Cxxx</i>	<i>sc-Si 245-360W</i>
* Gintung Energy Corp	<i>GTEC-xxxG6S66</i>	<i>Sc-Si 140-175W ,in steps of 5</i>
	<i>GTEC-xxxG6S68</i>	<i>Sc-Si 190-235 W,in steps of 5</i>
	<i>GTEC-xxxG6S69</i>	<i>Sc-Si 210-265 W,in steps of 5</i>
	<i>GTEC-xxxG6S6A</i>	<i>Sc-Si 230-295 W,in steps of 5</i>
	<i>GTEC-xxxG6S6B</i>	<i>Sc-Si 260-325 W ,in steps of 5</i>
	<i>GTEC-xxxG6S</i>	<i>Sc-Si 280-355 W,in steps of 5</i>
	<i>GTEC-xxxG6M66</i>	<i>Mc-Si 140-175 W,in steps of 5</i>
	<i>GTEC-xxxG6M68</i>	<i>Mc-Si 190 - 235 W,in steps of 5</i>
	<i>GTEC-xxxG6M69</i>	<i>Mc-Si 210 - 265 W,in steps of 5</i>
	<i>GTEC-xxxG6M6A</i>	<i>Mc-Si 230-295 W,in steps of 5</i>
	<i>GTEC-xxxG6M6B</i>	<i>Mc-Si 260-325 W,in steps of 5</i>
	<i>GTEC-xxxG6M</i>	<i>Mc-Si 280-355 W,in steps of 5</i>
* GreenBrilliance Energy	<i>GB54P6-XXX</i>	<i>mc-Si 185-225 Wp, in steps of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>GB60P6-XXX</i>	<i>mc-Si 230-250 Wp, in steps of 5</i>
	<i>GB72P6-XXX</i>	<i>mc-Si 250-300 Wp, in steps of 5</i>
* HanwhaSolarOne (Qidong)	<i>HSL72P6-PC-1-XXX</i>	<i>mc-Si 250-270 W, in steps of 5</i>
	<i>HSL60P6-PC-1-XXX</i>	<i>mc-Si 290-310 W, in steps of 5</i>
* Hangzhou Sunny Energy	<i>ZDNY-xxxC54</i>	<i>sc-Si 190-250W, in steps of 5</i>
	<i>ZDNY-xxxC60</i>	<i>sc-Si 210-275W, in steps of 5</i>
	<i>ZDNY-xxxC72</i>	<i>sc-Si 255-330W, in steps of 5</i>
	<i>ZDNY-xxxCB54</i>	<i>sc-Si 190-235W, in steps of 5</i>
	<i>ZDNY-xxxCB60</i>	<i>sc-Si 210-260W, in steps of 5</i>
	<i>ZDNY-xxxCB72</i>	<i>sc-Si 255-310W, in steps of 5</i>
	<i>ZNDY-xxxP54</i>	<i>mc-Si 180-250W, in steps of 5</i>
	<i>ZNDY-xxxP60</i>	<i>mc-Si 200-275W, in steps of 5</i>
	<i>ZNDY-xxxP72</i>	<i>mc-Si 245-330W, in steps of 5</i>
* Hollandia Power Solutions Inc	<i>HPS0xxxP-28</i>	<i>mc-Si 105 W, 110 W</i>
	<i>HPS0xxxP-32</i>	<i>mc-Si 120W , 125W</i>
	<i>HPS0xxxP-36</i>	<i>mc-Si 140W, 145W</i>
	<i>HPS0xxxP-48</i>	<i>mc-Si 160 - 210 W, in steps of 5</i>
	<i>HPS0xxxP-54</i>	<i>mc-Si 180 - 235 W, in steps of 5</i>
	<i>HPS0xxxP-60</i>	<i>mc-Si 200 - 260 W, in steps of 5</i>
	<i>HPS0xxxP-72</i>	<i>mc-Si 240 - 315W, in steps of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>HPS0xxxM-28</i>	<i>sc-Si 105 - 125 W, in steps of 5</i>
	<i>HPS0xxxM-32</i>	<i>sc-Si 120 - 145 W, in steps of 5</i>
	<i>HPS0xxxM-36</i>	<i>sc-Si 135 - 160 W, in steps of 5</i>
	<i>HPS0xxxM-48</i>	<i>sc-Si 170 - 215 W, in steps of 5</i>
	<i>HPS0xxxM-54</i>	<i>sc-S 190 - 240 W, in steps of 5</i>
	<i>HPS0xxxM-60</i>	<i>sc-Si 210 - 270 W, in steps of 5</i>
	<i>HPS0xxxM-72</i>	<i>sc-Si 250 - 325 W, in steps of 5</i>
	<i>HPS0xxxD-16</i>	<i>sc-Si 040 - 045 W, in steps of 5</i>
	<i>HPS0xxxD-20</i>	<i>sc-Si 050 - 060 W, in steps of 5</i>
	<i>HPS0xxxD-24</i>	<i>sc-Si 060 - 070 W, in steps of 5</i>
	<i>HPS0xxxD-28</i>	<i>sc-Si 065 - 080 W, in steps of 5</i>
	<i>HPS0xxxD-32</i>	<i>sc-Si 075 - 095 W, in steps of 5</i>
	<i>HPS0xxxD-36</i>	<i>sc-Si 080 - 105 W, in steps of 5</i>
	<i>HPS0xxxD-40</i>	<i>sc-Si 090 - 120 W, in steps of 5</i>
	<i>HPS0xxxD-72</i>	<i>sc-Si 155 - 215 W, in steps of 5</i>
	<i>HPS0xxxD-84</i>	<i>sc-Si 165 - 250 W, in steps of 5</i>
* HYUNDAI Heavy Industries (HHI)	<i>HiS-SxxxRG (BK)</i>	<i>Sc-Si 245-285W</i>
	<i>HiS-SxxxRF (BK)</i>	<i>Sc-SI 225-255W</i>
	<i>HiS-SxxxRI</i>	<i>Sc-Si 300-345W</i>
	<i>HiS-MxxxRG (BK)</i>	<i>Mc-S I 240-270W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* HECKERT Solar GmbH (Gilco)	MEMO 60 P255 19	sc-si 255W
	MEMO 60 P260 19	sc-si 260W
	MEMO 60 P265 19	sc-si 265W
	NEMO 60 P270 19	sc-si 270W
	MEMO 60 P275 19	sc-si 275W
* HENGDIAN GROUP, DMEGC	DMxxx-M156-72	sc-Si (xxx=320 to 360 in step of 5)
	DMxxx-M156-60	sc-Si (xxx=270 to 300 in step of 5)
	DMxxx-P156-72	mc-Si (xxx=310 to 350 in step of 5)
	DMxxx-P156-60	mc-Si (xxx=250 to 290 in step of 5)
* Hanwha Q.CELLS GmbH	Q.PRIME L-G5	sc-Si 335 - 345 (in step of 5 Wp)
	Q.PRIME-G5	sc-Si 280 - 290 (in step of 5)
	Q.POWER-G5	mc-Si 265 - 275 (in step of 5)
	Q.PEAK G4 (60 C)	Sc-Si, 300-310 (in step of 5)
	Q.PEAK L_G4 (72 C)	Sc-Si, 345-360 (in step of 5)
	Q.PLUS G4 (60 C)	mc-Si, 270-280 (in step of 5)
	Q.PLUS L_G4 (72 C)	mc-Si, 330-340 (in step of 5)
	Q.PEAK G4 (60 C)	Sc-Si, 300-310 (in step of 5)
	Q.PEAK L_G4 (72 C)	Sc-Si, 345-360 (in step of 5)
	Q.PLUS G4 (60 C)	mc-Si, 270-280 (in step of 5)
Q.PEAK G4 (60 C)	sc-Si, 300-310wp (in step of 5wp)	

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	Q.PEAK L_G4 (72 C)	sc-Si, 345-360wp (in step of 5wp)
	Q.PLUS G4 (60 C)	mc-si, 270-280wp (in step of 5wp)
	Q.PLUS L_G4 (72 C)	mc-si, 330-340wp (in step of 5wp)
	Q.PLUS L_G4 (72 C)	mc-Si, 330-340 (in step of 5)
	Q.Power LG-5	mc-Si 315-330W, in step of 5
	Q.PEAK L-G5	sc-Si, 355-370 Wp, in step of 5
	Q.PEAK-G5.0.G	sc-Si, 295-310 Wp, in step of 5
* JA Solar	JAM6-48-XXX/PR	(xxx=220-230) Mc-Si
	JAM6-60/72-XXX/PR	(xxx=285-295/335-350) Mc-Si
	JAP6-60/72-XXX/4BB	(xxx=270-275/315-325) Mc-Si
	JAM6(L)-60/72-XXX/4BB	(xxx=270-280/320-330) Mc-Si
	JAM6-72-XXX/SI	(xxx=285-325W) Mc-Si
	JAP6-60/72-XXX/3BB	(xxx=260-275/310-325) Mc-Si
	JAP6(K) 60/72 4BB	(xxx=255-275/305-325) Mc-Si
	JAP6(K)(DG) 60/72 4BB	(xxx=255-275/310-325) Mc-Si
	JAM6(K)(DG) 60/72 4BB	(xxx=260-285/325-340) Mono crystalline
	JAM72D00 - xxx/PR	(xxx=330-360) Mono crystalline
	JAM72D00 - xxx/SC	(xxx=320-340) Mono crystalline
	JAM60D00 - xxx/PR	(xxx=285-300) Mono crystalline
	JAM72D00 - xxx/SC	(xxx=265-280) Mono crystalline

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>JAM72S01- xxx/SC</i>	<i>(xxx=320-340) Mono crystalline</i>
	<i>JAM72S01- xxx/PR</i>	<i>(xxx=345-365) Mono crystalline</i>
	<i>JAM6(K)(DG) 60/72/PR</i>	<i>(xxx=270-295/330-350) Mono crystalline</i>
	<i>JAM60S01- xxx/SC</i>	<i>(xxx=265-280) Mono crystalline</i>
	<i>JAM60S01- xxx/PR</i>	<i>(xxx=285-300) Mono crystalline</i>
	<i>JAP72D00- xxx/SC</i>	<i>(xxx=310-330) Poly-crystalline</i>
	<i>JAP72D00- xxx/SC</i>	<i>(xxx=260-270) Poly-crystalline</i>
	<i>JAP72S01- xxx/SC</i>	<i>(xxx=305-330) Poly-crystalline</i>
	<i>JAP72S01- xxx/PR</i>	<i>(xxx=305-345) Poly-crystalline</i>
	<i>JAP60S01- xxx/SC</i>	<i>(xxx=255-280) Poly-crystalline</i>
	<i>JAP60S01- xxx/PR</i>	<i>(xxx=275-285) Poly-crystalline</i>
	<i>JAM72D00-xxx/BP</i>	<i>(xxx=355-385) Mono crystalline</i>
	<i>JAM72S01-xxx/PR</i>	<i>(xxx=355-380) Mono crystalline</i>
	<i>JAP72S01-xxx/SC</i>	<i>(xxx=315-340) Poly-crystalline</i>
	<i>JAM72D10-xxx/MB</i>	<i>(xxx=385-410) Mono crystalline</i>
	<i>JAM72S09-xxx/PR</i>	<i>(xxx=370-405) Mono crystalline</i>
	<i>JAM72S10-xxx/MR</i>	<i>(xxx=390-405) Mono crystalline</i>
	<i>JAM66S30-xxx/MR</i>	<i>(xxx=480-505) Mono crystalline</i>
	<i>JAM72S30-xxx/MR</i>	<i>(xxx=525-550) Mono crystalline</i>
	<i>JAM72S20-xxx/MR</i>	<i>(xxx=445-470) Mono crystalline</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* JAKSON Engineers Limited	<i>JP-AXB (A=24)</i>	<i>B = 270-330 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 240-280 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 200-230 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 175-200 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 150-175 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 120-140 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 100-115 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 220-290 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 200-235 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 165-190 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 145-170 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 125-140 Multi c-Si</i>
	<i>JP-AXB (A=24)</i>	<i>B = 100-120 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 270-330 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 240-280 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 200-230 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 175-200 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 150-175 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 120-140 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 100-115 Multi c-Si</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>JP-AXB (A=12)</i>	<i>B = 200-260 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 180-215 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 130-175 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 120-140 Multi c-Si</i>
	<i>JP-AXB (A=12)</i>	<i>B = 100-110 Multi c-Si</i>
	<i>JP-AXB (A=12; B=90-95)</i>	<i>90-95 Multi c-Si</i>
	<i>JP-AXB (A=12; B=80-90)</i>	<i>80-90 Multi c-Si</i>
	<i>JP-AXB (A=12; B=74-80)</i>	<i>74-80 Multi c-Si</i>
	<i>JP-AXB (A=12; B=60-65)</i>	<i>60-65 Multi c-Si</i>
	<i>JP-AXB (A=12; B=50-55)</i>	<i>50-55 Multi c-Si</i>
	<i>JP-AXB (A=12; B=37-45)</i>	<i>37-45 Multi c-Si</i>
	<i>JP-AXB (A=12; B=24-30)</i>	<i>24-30 Multi c-Si</i>
	<i>JP-AXB (A=12; B=18-22)</i>	<i>18-22 Multi c-Si</i>
	<i>JP-AXB (A=12; B=13-17)</i>	<i>13-17 Multi c-Si</i>
	<i>JP-AXB (A=12; B=10-12)</i>	<i>10-12 Multi c-Si</i>
* Jinko Solar	<i>JKMxxxP-60</i>	<i>210-280W, in steps of 5 6'poly</i>
	<i>JKMxxxP-72</i>	<i>250-335W, in steps of 5 6'poly</i>
	<i>JKMxxxPP-60</i>	<i>210-280W, in steps of 5 6'poly</i>
	<i>JKMxxxPP-72</i>	<i>250-335W, in steps of 5 6'poly</i>
	<i>JKMSxxxP-60</i>	<i>210-280W, in steps of 5 6'poly</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>JKMSxxxP-72</i>	<i>250-335W,in steps of 5 6'poly</i>
	<i>JKMxxxPP-60-V</i>	<i>210-280W, in steps of 5 6'poly</i>
	<i>JKMxxxPP-72-V</i>	<i>250-340, in steps of 5 6'poly</i>
	<i>JKMxxxPP-60-DV</i>	<i>240-285, in steps of 5 6'poly</i>
	<i>JKMxxxPP-72-DV</i>	<i>285-345, in steps of 5 6'poly</i>
	<i>JKMxxxM-60</i>	<i>280-320, in steps of 5 6'poly</i>
	<i>JKMxxxM-72</i>	<i>335-385, in steps of 5 6'poly</i>
	<i>JKMSxxxPP-60</i>	<i>210-280, in steps of 5 6'poly</i>
	<i>JAM6(K)-72-xxx/PR</i>	<i>mono-crystalline 345-360, in step of 5W</i>
	<i>JAM6(K)-72-xxx/PR</i>	<i>mono-crystalline 285-300 in step of 5W</i>
	<i>JKMxxxM-60</i>	<i>mono-crystalline 265-285, in step of 5 W</i>
	<i>JKMxxxM-72</i>	<i>mono-crystalline 325-345, in step of 5 W</i>
	<i>JKMxxxM-60</i>	<i>mono-crystalline 290-310, in step of 5 W</i>
	<i>JKMxxxM-72</i>	<i>mono-crystalline 340-360, in step of 5 W</i>
	<i>JKMxxxPP-60</i>	<i>poly-crystalline 260-280, in step of 5 W</i>
	<i>JKMxxxPP-72</i>	<i>poly-crystalline 315-335, in step of 5 W</i>
	<i>JKMSxxxPP-72</i>	<i>250-340, in steps of 5 6'poly</i>
	<i>JKMxxxM-72</i>	<i>mono-crystalline 395 W</i>
	<i>JKMxxxM-72-V</i>	<i>mono-crystalline 390 W</i>
	<i>JKMxxxM-7RL3-V</i>	<i>mono-crystalline 450-470, in step of 5 W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>JKMxxxM-60HL4-V</i>	<i>mono-crystalline 430-450, in step of 5 W</i>
	<i>JKMxxxM-72HL4-V</i>	<i>mono-crystalline 530-550, in step of 5 W</i>
	<i>JKMxxxM-72HL4-TV</i>	<i>mono-crystalline 525-545, in step of 5 W</i>
	<i>JKMxxxM-72HL4-BDVP</i>	<i>mono-crystalline 525-545, in step of 5 W</i>
* <i>Jiangsu Aiduo Photovoltaic Tech</i>	<i>ADXXX-36P</i>	<i>mc-Si, XXX=130-150W, in step of 5</i>
	<i>ADXXX-36S</i>	<i>sc-Si, XXX=135-155W, in step of 5</i>
	<i>ADXXX-48P</i>	<i>mc-Si, XXX=175-225W, in step of 5</i>
	<i>ADXXX-48S</i>	<i>sc-Si, XXX=180-205W, in step of 5</i>
	<i>ADXXX-54P</i>	<i>mc-Si, XXX=200-225W, in step of 5</i>
	<i>ADXXX-54S</i>	<i>sc-Si, XXX=210-235W, in step of 5</i>
	<i>ADXXX-60P</i>	<i>mc-Si, XXX=255-265W, in step of 5</i>
	<i>ADXXX-60S</i>	<i>sc-Si, XXX=230-260W, in step of 5</i>
	<i>ADXXX-72M</i>	<i>sc-Si, XXX=175-205W, in step of 5</i>
	<i>ADXXX-72P</i>	<i>mc-Si, XXX=270-320W, in step of 5</i>
	<i>ADXXX-72S</i>	<i>sc-Si, XXX=280-320W, in step of 5</i>
	<i>ADXXX-72M</i>	<i>sc-Si, XXX=175-205W, in step of 5</i>
	<i>ADXXX-36S</i>	<i>sc-Si, XXX=135-175W, in step of 5</i>
	<i>ADXXX-48S</i>	<i>sc-Si, XXX=180-235W, in step of 5</i>
	<i>ADXXX-54S</i>	<i>sc-Si, XXX=210-265W, in step of 5</i>
	<i>ADXXX-60S</i>	<i>sc-Si, XXX=230-295W, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>ADXXX-72S</i>	<i>sc-Si, XXX=280-355W, in step of 5</i>
	<i>ADXXX-36P</i>	<i>mc-Si, XXX=130-170W, in step of 5</i>
	<i>ADXXX-40P</i>	<i>mc-Si, XXX=160-185W, in step of 5</i>
	<i>ADXXX-48P</i>	<i>mc-Si, XXX=175-225W, in step of 5</i>
	<i>ADXXX-54P</i>	<i>mc-Si, XXX=200-255W, in step of 5</i>
	<i>ADXXX-72P</i>	<i>mc-Si, XXX=270-340W, in step of 5</i>
	<i>ADXXX-60P</i>	<i>mc-Si, XXX=225-280W, in step of 5</i>
* Juli New Energy	<i>JLS60P250W(156)</i>	<i>mc-si 250 W</i>
* Jyotitech Solar LLP	<i>JTS xxx</i>	<i>mc-si 37W</i>
	<i>JTS xxx</i>	<i>mc-si 40W</i>
	<i>JTS xxx</i>	<i>mc-si 50W</i>
	<i>JTS xxx</i>	<i>mc-si 75W</i>
	<i>JTS xxx</i>	<i>mc-si 100W</i>
	<i>JTS xxx</i>	<i>mc-si 150W</i>
	<i>JTS xxx</i>	<i>mc-si 255W</i>
	<i>JTS xxx</i>	<i>mc-si 260W</i>
	<i>JTS xxx</i>	<i>mc-si 200W</i>
	<i>JTS xxx</i>	<i>mc-si 250W</i>
	<i>JTS xxx</i>	<i>mc-si 300W</i>
	<i>JTS xxx</i>	<i>mc-si 305W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>JTS xxx</i>	<i>mc-si 310W</i>
	<i>JTS xxx</i>	<i>mc-si 315W</i>
	<i>JTS xxx</i>	<i>mc-si 320W</i>
* Jolywood (taizhou) Solar Tech	<i>JW-D72N-XXX</i>	<i>xxx=310-360W, in steps of 5</i>
	<i>JW-D60N-xxx</i>	<i>xxx=255-300W, in steps of 5</i>
	<i>JW-T72N-xxx</i>	<i>xxx=310-355W, in steps of 5</i>
	<i>JW-T60N-xxx</i>	<i>xxx=255-295W, in steps of 5</i>
* KOSOL HIRAMRUT ENERGIES	<i>KE40</i>	<i>40Wp</i>
	<i>KE50</i>	<i>50Wp</i>
	<i>KE60</i>	<i>60Wp</i>
	<i>KE100</i>	<i>100Wp</i>
	<i>KE150</i>	<i>150Wp</i>
	<i>KE155</i>	<i>155Wp</i>
	<i>KE160</i>	<i>160Wp</i>
	<i>KE210</i>	<i>210Wp</i>
	<i>KE235</i>	<i>235Wp</i>
	<i>KE240</i>	<i>240Wp</i>
	<i>KE245</i>	<i>245Wp</i>
	<i>KE250</i>	<i>250Wp</i>
	<i>KE260</i>	<i>260Wp</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	KE265	265Wp
	KE270	270Wp
	KE275	275Wp
	KE280	280Wp
	KE315	315Wp
	KE320	320Wp
	KE325	325Wp
* LG Electronics	LG275S1C-B3	sc-Si 275 W/0 - +3%
	LG280S1C-B3	sc-Si 280 W/0 - +3%
	LG300N1C-B3	sc-Si 300 W/0 - +3%
	LG305N1C-B3	sc-Si 305 W/0 - +3%
	LG300N1C-G4	sc-Si 300W/0 - +3%
	LG280S1C-L4	sc-Si 280 W/0 - +3%
	LG285S1C-L4	sc-Si 285 W/0 - +3%
	LG290S1C-L4	sc-Si 290 W/0 - +3%
	LG300N1K-G4	sc-Si 300W/0 - +3%
	LG305N1C-G4	sc-Si 305W/0 - +3%
	LG310N1C-G4	sc-Si 310W/0 - +3%
	LG315N1C-G4	sc-Si 315W/0 - +3%
	LG320N1C-G4	sc-Si 320W/0 - +3%

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>LGxxxN1C-A5</i>	<i>Sc-Si 335W, 330W,325W</i>
	<i>LGxxxN1K-A5</i>	<i>Sc-Si 320W, 315W</i>
	<i>LGxxxN2C-A5</i>	<i>Sc-Si 410W, 405W, 400W, 395W, 390W</i>
	<i>LGxxxN2W-A5</i>	<i>Sc-Si 410W, 405W, 400W, 395W, 390W</i>
	<i>LGxxxS1C-A5</i>	<i>Sc-Si 300W, 295W, 290W</i>
	<i>LG315N1W-G4</i>	<i>Sc-si 315W</i>
	<i>LGxxxS2W-A5</i>	<i>Sc-Si 360W, 355W, 350W</i>
	<i>LGxxxQ1C-A5</i>	<i>sc-Si 350-370, in step of 5</i>
* LARRI Solar Technology	<i>LR6-60-xxxM</i>	<i>mc-Si 300 -360 W, in steps of 5</i>
	<i>LR6-72-xxxM</i>	<i>mc-Si 250 -300 W, in steps of 5</i>
* Looop Inc	<i>LPW-270P-60H</i>	<i>mc-SI 270W</i>
	<i>LPW-275P-60H</i>	<i>mc-SI 275W</i>
* Longi Green Energy Technology	<i>LR6-60-xxxM</i>	<i>mc-Si, 270-300 (in step of 5)</i>
	<i>LR6-72-xxxM</i>	<i>mc-Si, 320-350 (in step of 5)</i>
	<i>LR6-60PE-xxxM</i>	<i>mc-Si, 280-310 (in step of 5)</i>
	<i>LR6-72PE-xxxM</i>	<i>mc-Si, 340-375 (in step of 5)</i>
	<i>LR6-60-xxxM</i>	<i>mc-Si,270W-300W</i>
	<i>LR6-72-xxxM</i>	<i>mc-Si, 320W-350W</i>
	<i>LR6-60PE-xxxM</i>	<i>mc-Si, 280W-310W</i>
	<i>LR-60BP-xxx</i>	<i>mc-Si, 290 - 305, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>LR-72BP-xxx</i>	<i>mc-Si, 350-370, in step of 5</i>
	<i>LR6-72PE-xxxM</i>	<i>mc-Si, 340W-375W</i>
	<i>LR4-72HPH-xxxM</i>	<i>sc-Si, 450W</i>
	<i>LR5-72HPH-xxxM</i>	<i>sc-Si, 530-550W, in step of 5</i>
* MAYSUN SOLAR FZCO	<i>MSxxxM-72</i>	<i>sc-Si, xxx=285-340, in step of 5</i>
	<i>MSxxxM-60</i>	<i>sc-Si, xxx=240-285, in step of 5</i>
	<i>MSxxxM-36</i>	<i>sc-Si, xxx=145-170, in step of 5</i>
	<i>MSxxxP-72</i>	<i>mc-Si, xxx=285-340, in step of 5</i>
	<i>MSxxxP-60</i>	<i>mc-Si, xxx=235-280, in step of 5</i>
	<i>MSxxxP-36</i>	<i>mc-Si, xxx=140-165, in step of 5</i>
* Miasole Hi-tech Corp	<i>FLEX-02 xxx NS</i>	<i>CIGS-65-85W, in step of 5</i>
	<i>FLEX-02 xxx N</i>	<i>CIGS-110-130W, in step of 5</i>
	<i>FLEX-02 xxx WS</i>	<i>CIGS-210-250W, in step of 10</i>
	<i>FLEX-02 W</i>	<i>CIGS-340-380W, in step of 10</i>
	<i>FLEX-02 XXX C132</i>	<i>CIGS-255 -305W, in step of 5</i>
* Neo Solar Power Corporation	<i>D6PxxxB3A</i>	<i>mc-Si 210 - 275 W</i>
	<i>D6PxxxB5A</i>	<i>mc-Si 185 - 245 W</i>
	<i>D6PxxxB2A</i>	<i>mc-Si 170 - 220 W</i>
	<i>D6PxxxB1A</i>	<i>mc-Si 125 -165 W</i>
	<i>D6PxxxA3A</i>	<i>mc-Si 210 - 250 W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>D6PxxxA5A</i>	<i>mc-Si 185 - 225 W</i>
	<i>D6PxxxA2A</i>	<i>mc-Si 170 - 200 W</i>
	<i>D6PxxxA1A</i>	<i>mc-Si 125 - 145 W</i>
	<i>D6LxxxK4A</i>	<i>sc-Si 360 W</i>
	<i>D6LxxxL3A</i>	<i>sc-Si 290-305, in step of 5</i>
	<i>D6LxxxL4A</i>	<i>sc-Si 350-365, in step of 5</i>
* NICE SUN PV	<i>NCS-6BMXXX</i>	<i>sc-Si 215-285 in increments of 5</i>
	<i>NCS-6AMXXX</i>	<i>sc-Si 255-345 in increments of 5</i>
	<i>NCS-6APXXX</i>	<i>mc-Si 255-340 in increments of 5</i>
* Ningbo Ulica Solar	<i>UL-xxxM-60</i>	<i>sc-Si 270 W</i>
	<i>UL-xxxP-60</i>	<i>mc-Si 260-270W, in steps of 5</i>
	<i>UL-xxxM-72</i>	<i>sc-Si 320-330W, in steps of 5</i>
	<i>UL-xxxP-72</i>	<i>mc-Si 310-320W, in steps of 5</i>
* Noor Solar Technology	<i>NST18-6-xxxP</i>	<i>mc-Si xxx=70 - 80 Wp, in step of 5</i>
	<i>NST32-6-xxxP</i>	<i>mc-Si xxx=120-145 Wp, in step of 5</i>
	<i>NST36-6-xxxP</i>	<i>mc-Si xxx=135-160 Wp, in step of 5</i>
	<i>NST40-6-xxxP</i>	<i>mc-Si xxx=150-180 Wp, in step of 5</i>
	<i>NST48-6-xxxP</i>	<i>mc-Si xxx=180-220 Wp, in step of 5</i>
	<i>NST54-6-xxxP</i>	<i>mc-Si xxx=205-245 Wp, in step of 5</i>
	<i>NST60-6-xxxP</i>	<i>mc-Si xxx=225-275 Wp, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>NST66-6-xxxP</i>	<i>mc-Si xxx=250-300 Wp, in step of 5</i>
	<i>NST72-6-xxxP</i>	<i>mc-Si xxx=270-330 Wp, in step of 5</i>
	<i>NST18-6-xxxM</i>	<i>sc-Si xxx=85-95 Wp, in step of 5</i>
	<i>NST32-6-xxxM</i>	<i>sc-Si xxx=145-175 Wp, in step of 5</i>
	<i>NST36-6-xxxM</i>	<i>sc-Si xxx=165-195 Wp, in step of 5</i>
	<i>NST40-6-xxxM</i>	<i>sc-Si xxx=180-220 Wp, in step of 5</i>
	<i>NST48-6-xxxM</i>	<i>sc-Si xxx=220-260 Wp, in step of 5</i>
	<i>NST54-6-xxxM</i>	<i>sc-Si xxx=245-295 Wp, in step of 5</i>
	<i>NST60-6-xxxM</i>	<i>sc-Si xxx=270-330 Wp, in step of 5</i>
* Omsun Power Private Limited	<i>OM60XXX</i>	<i>Mc-Si 210-275 W</i>
	<i>OM60XXX</i>	<i>Mc-Si 180-200 W</i>
	<i>OM54XXX</i>	<i>Mc-Si 150-170 W</i>
	<i>OM36XXX</i>	<i>Mc-Si 110-140 W</i>
	<i>OM36XXX</i>	<i>Mc-Si 100 W</i>
* ONYX SOLAR ENERGY	<i>434 BA-10000500-20-1</i>	<i>a-Si 16W (+/-10%)</i>
	<i>X3X-BN-12451849-00-1</i>	<i>X= 4/5/6, a-Si 136.53 Wp</i>
	<i>X3X-BN-12451849-10-1</i>	<i>X= 4/5/6, a-Si 99.36 Wp</i>
	<i>X3X-BN-12451849-20-1</i>	<i>X= 4/5/6, a-Si 78.84 Wp</i>
	<i>X3X-BN-12451849-30-1</i>	<i>X= 4/5/6, a-Si 60.71 Wp</i>
	<i>X3X-BN-12452456-00-1</i>	<i>X= 4/5/6, a-Si 182.04 Wp</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>X3X-BN-12452456-10-1</i>	<i>X= 4/5/6, a-Si 132.48 Wp</i>
	<i>X3X-BN-12452456-20-1</i>	<i>X= 4/5/6, a-Si 105.12 Wp</i>
	<i>X3X-BN-12452456-30-1</i>	<i>X= 4/5/6, a-Si 80.94 Wp</i>
	<i>X3X-BN-12450635-00-1</i>	<i>X= 4/5/6, a-Si 45.51 Wp</i>
	<i>X3X-BN-12450635-10-1</i>	<i>X= 4/5/6, a-Si 33.12 Wp</i>
	<i>X3X-BN-12450635-20-1</i>	<i>X= 4/5/6, a-Si 26.28 Wp</i>
	<i>X3X-BN-12450635-30-1</i>	<i>X= 4/5/6, a-Si 20.24 Wp</i>
	<i>X3X-BN-12451242-00-1</i>	<i>X= 4/5/6, a-Si 91.02 Wp</i>
	<i>X3X-BN-12451242-10-1</i>	<i>X= 4/5/6, a-Si 66.24 Wp</i>
	<i>X3X-BN-12451242-20-1</i>	<i>X= 4/5/6, a-Si 52.56 Wp</i>
	<i>X3X-BN-12451242-30-1</i>	<i>X= 4/5/6, a-Si 40.47 Wp</i>
	<i>636-BN-06000600-00-1</i>	<i>a-Si 20.06 Wp</i>
	<i>636-BN-24620635-10-1</i>	<i>a-Si 63.0 Wp</i>
	<i>ONYX G/G M/P</i>	<i>sc-Si/mc-Si, 140 - 650 Wp, 36 - 168 cells</i>
* Panasonic	<i>VBMS260AE04</i>	<i>Poly 260 W</i>
	<i>VBMS255AE04</i>	<i>Poly 255 W</i>
	<i>VBMS250AE04</i>	<i>Poly 250 W</i>
	<i>VBHN235SJ25</i>	<i>HIT Cell Technology 235W</i>
	<i>VBHN240SJ25</i>	<i>HIT Cell Technology 240W</i>
	<i>VBHN245SJ25</i>	<i>HIT Cell Technology 245W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>VBHN235SE10</i>	<i>HIT Cell Technology 235W</i>
	<i>VBHN294SJ45</i>	<i>HIT Cell Technology 294W</i>
	<i>AE6PXXXWB5B</i>	<i>mc-si,265W-275W (in step of 5)</i>
	<i>AE7PXXXVB5B</i>	<i>mc-si,320W-325 w (in step of 5)</i>
	<i>VBHN325SJ47</i>	<i>HIT Cell Technology 325W</i>
* <i>Perlight Solar</i>	<i>PLM-XXXP-72</i>	<i>mc-Si 235-320W, in steps of 5</i>
	<i>PLM-XXXP-60</i>	<i>mc-Si 195-265W, in steps of 5</i>
	<i>PLM-XXXP-60</i>	<i>mc-Si 240-260W, in steps of 5</i>
	<i>PLM-XXXP-54</i>	<i>mc-Si 220-235W, in spets of 5</i>
	<i>PLM-XXXP-36</i>	<i>mc-Si 145-155W, in steps of 5</i>
	<i>PLM-XXXP-48</i>	<i>mc-Si 195-210W, in steps of 5</i>
	<i>PLM-XXXM-96</i>	<i>sc-Si 230-280W, in steps of 5</i>
	<i>PLM-XXXM-72</i>	<i>sc-Si 290-315W, in steps of 5</i>
	<i>PLM-XXXM-60</i>	<i>sc-Si 240-265 W, in steps of 5</i>
	<i>PLM-XXXM-54</i>	<i>sc-Si 220-235W, in steps of 5</i>
	<i>PLM-XXXM-36</i>	<i>sc-Si 145-155W, in steps of 5</i>
	<i>PLM-XXXM-48</i>	<i>sc-Si 195-210W, in steps of 5</i>
	<i>PLM-XXXM-66</i>	<i>sc-Si 265-290W, in steps of 5</i>
	<i>PLM-XXXMB-72</i>	<i>sc-Si 290-315 W, in steps of 5</i>
* <i>Philadelphia Solar</i>	<i>PLM-XXXMB-60</i>	<i>sc-Si 240-265W, in steps of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES		
<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>PLM-XXXMB-54</i>	<i>sc-Si 220-235W, in steps of 5</i>
	<i>PLM-XXXMB-48</i>	<i>sc-Si 195-210W, in steps of 5</i>
	<i>PS-P72 XXX</i>	<i>mc-Si 300-330W, in steps of 5</i>
	<i>PS-P60 XXX</i>	<i>mc-Si 250-275W, in steps of 5</i>
	<i>PS-M72 XXX</i>	<i>sc-Si 300-345W, in steps of 5</i>
	<i>PS-M60 XXX</i>	<i>sc-Si 250-290W, in steps of 5</i>
* Phono Solar Technology	<i>PSXXXM-24/F</i>	<i>C-Si 170-210 W</i>
	<i>PSXXXM-20/U</i>	<i>C-Si 215-280W</i>
	<i>PSXXXM-24/T</i>	<i>C-Si 280-340W</i>
	<i>PSXXXP-20/U</i>	<i>C-Si 215-275W</i>
	<i>PSXXXP-24/T</i>	<i>C-Si 275-335W</i>
* Qingdao Raysolar New Energy	<i>DM72-XXXWE</i>	<i>sc-Si, 325-370 W, in steps of 5*</i>
	<i>DM72-XXXTE</i>	<i>sc-Si, 325-370, in steps of 5*</i>
	<i>DM60-XXXWE</i>	<i>sc-Si, 275-305, in steps of 5*</i>
	<i>DM60-XXXTE</i>	<i>sc-Si, 275-305, in steps of 5*</i>
	<i>DM36-XXXTE</i>	<i>sc-Si, 165-180, in steps of 5*</i>
	<i>DM28-XXXTE</i>	<i>sc-Si, 130-140, in steps of 5*</i>
	<i>DP72-XXXWE</i>	<i>mc-Si, 315-345, in steps of 5*</i>
	<i>DP72-XXXTE</i>	<i>mc-Si, 315-345, in steps of 5*</i>
	<i>DP60-XXXWE</i>	<i>mc-Si, 260-285, in steps of 5*</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>DP60-XXXTE</i>	<i>mc-Si, 260-285, in steps of 5*</i>
	<i>DP36-XXXTE</i>	<i>mc-Si, 160-170, in steps of 5*</i>
	<i>DP28-XXXTE</i>	<i>mc-Si, 125-130 , in steps of 5*</i>
* REC Solar	<i>REC265TP</i>	<i>mc-Si, 265 W</i>
	<i>REC270TP</i>	<i>mc-Si, 270 W</i>
	<i>REC275TP</i>	<i>mc-Si, 275 W</i>
	<i>REC280TP</i>	<i>mc-Si, 280 W</i>
	<i>REC xxx PE 72</i>	<i>mc-Si, 295 - 315 W, in steps of 5</i>
	<i>REC 260 PE</i>	<i>mc-Si, 260 W</i>
	<i>RECxxxPE 72</i>	<i>mc-Si, 300 - 320 Wp</i>
	<i>RECxxxPE</i>	<i>mc-Si, 245 - 270 Wp</i>
	<i>RECxxxPE BLK</i>	<i>mc-Si, 245 - 270 Wp</i>
	<i>RECxxxPE2S 72</i>	<i>mc-Si, 320 - 330 Wp</i>
	<i>RECxxxPE2S 72 XV</i>	<i>mc-Si, 320 - 330 Wp</i>
	<i>RECxxxTP 72</i>	<i>mc-Si, 330 - 350 Wp</i>
	<i>RECxxxTP 72 XV</i>	<i>mc-Si, 330 - 350 Wp</i>
	<i>RECxxxTP</i>	<i>mc-Si, 265 - 285 Wp</i>
	<i>RECxxxTP BLK</i>	<i>mc-Si, 265 - 285 Wp</i>
	<i>RECxxxTP2</i>	<i>mc-Si, 280 - 295 Wp</i>
	<i>RECxxxTP2 BLK</i>	<i>mc-Si, 280 - 295 Wp</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>RECxxxTP2S 72</i>	<i>mc-Si, 330 - 350 Wp</i>
	<i>RECxxxTP2S 72 XV</i>	<i>mc-Si, 330 - 350 Wp</i>
	<i>RECxxxTP2S72</i>	<i>mc-Si 330-355 Wp, in step of 5 Wp</i>
	<i>RECxxxTP2S72 XV</i>	<i>mc-Si 330-355 Wp, in step of 5 Wp</i>
* Renesola Jiangsu	<i>JCxxxS-24/Abs</i>	<i>sc-Si 315-335W, in steps of 5</i>
	<i>JCxxxS-24/Bbs</i>	<i>sc-Si 255-280W, in steps of 5</i>
	<i>JCxxxM-24/Abs</i>	<i>mc-Si 310-335W, in steps of 5</i>
	<i>JCxxxM-24/Bbs</i>	<i>mc-Si 255-285W, in steps of 5</i>
* Resun Solar Energy	<i>RS5MxxxM</i>	<i>sc-Si,235-280, in step of 5</i>
	<i>RS5AxxxM</i>	<i>sc-Si,175-210, in step of 5</i>
	<i>RS5GxxxM</i>	<i>sc-Si,90-105, in step of 5</i>
	<i>RS6SxxxM</i>	<i>sc-Si,300-325, in step of 5</i>
	<i>RS6CxxxM</i>	<i>sc-Si,250-270, in step of 5</i>
	<i>RS6DxxxM</i>	<i>sc-Si,205-245, in step of 5</i>
	<i>RS6FxxxM</i>	<i>sc-Si,180-215, in step of 5</i>
	<i>RS6SxxxP</i>	<i>mc-si,295-330, in step of 5</i>
	<i>RS6CxxxP</i>	<i>mc-si,240-275, in step of 5</i>
	<i>RS6DxxxP</i>	<i>mc-si, 205-245, in step of 5</i>
	<i>RS6FxxxP</i>	<i>mc-si,180-220, in step of 5</i>
	<i>RS6ExxxP</i>	<i>mc-si,140-165, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* RISEN Energy	<i>SYP200P</i>	<i>mc-Si 200W ±3%</i>
	<i>SYP 245S</i>	<i>Crystalline 245W</i>
	<i>RSM36-6-150P</i>	<i>mc-Si 150W +3% +ve power tolerance</i>
	<i>RSM60-6-XXXX</i>	<i>mc-Si 250-270W, in steps of 5 (+3%)</i>
	<i>RSM72-6-XXXX</i>	<i>mc-Si 320-340W, in steps of 5 (+3%)</i>
	<i>RSM60-6-XXXXPDG</i>	<i>mc-Si 255-265W, in steps of 5 (+3%)</i>
	<i>RSM60-6-275M</i>	<i>sc-Si 275 W</i>
* RenewSys India Private Limited	<i>DESERV 3M6 XXX</i>	<i>mc-si (36 cells) 140 W - 170 W</i>
	<i>DESERV 3M6 XXX</i>	<i>mc-si (48 cells) 185 W - 230W</i>
	<i>DESERV 3M6 XXX</i>	<i>mc-si (54 cells) 210 W - 260 W</i>
	<i>DESERV 3M6 XXX</i>	<i>mc-si (60 cells) 235 W - 285 W</i>
	<i>DESERV 3M6 XXX</i>	<i>mc-si (72 cells) 280 W - 345 W</i>
* S-Energy	<i>SM-xxxPC8</i>	<i>Mc-Si 250-260W, in steps of 5</i>
	<i>SM-xxxPC8</i>	<i>Mc-Si 295-305W, in steps of 5</i>
	<i>SN-xxxP10</i>	<i>Mc-Si 250-265W, in steps of 5</i>
	<i>SN-xxxP10</i>	<i>Mc-Si 295-315W, in steps of 5</i>
* Solvis d.o.o.	<i>SV60-xxxE</i>	<i>sc-Si, 290-405, in step of 5</i>
	<i>SV60-xxx</i>	<i>mc-Si, 270-290, in step of 5</i>
	<i>SV72-xxxE</i>	<i>sc-Si, 345-365, in step of 5</i>
	<i>SV72-xxx</i>	<i>mc-Si, 320-340, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* Sunovation	<i>eFORM Arc GG-260-C</i>	<i>sc-Si 215.8 Wp</i>
	<i>eFORM Arc GG-125-C</i>	<i>sc-Si 107.9 Wp</i>
	<i>eFORM Arc GG-160-C</i>	<i>sc-Si 134.9 Wp</i>
	<i>eFORM Arc GG-130-C</i>	<i>sc-Si 107.9 Wp</i>
	<i>eFORM Color GG-195-F</i>	<i>sc-Si 161.8 Wp</i>
	<i>eFORM Color GG-95-F</i>	<i>sc-Si 80.9 Wp</i>
	<i>eFORM Color GG-120-F</i>	<i>sc-Si 100.1 Wp</i>
	<i>eFORM Color GG-100-F</i>	<i>sc-Si 80.9 Wp</i>
	<i>eFORM Color GG-160-F</i>	<i>sc-Si 134.9 Wp</i>
	<i>eFORM Color GG-190-F</i>	<i>sc-Si 161.8 Wp</i>
* SERAPHIM SOLAR SYSTEM	<i>SRP-XXX-6PA</i>	<i>mc-Si (XXX=305-320), in steps of 5</i>
	<i>SRP-XXX-6PB</i>	<i>mc-Si (XXX=225-265), in steps of 5</i>
	<i>SRP-XXX-6MA</i>	<i>sc-Si (XXX=310-325), in steps of 5</i>
	<i>SRP-XXX-6MB</i>	<i>sc-Si (XXX=265-280), in steps of 5</i>
* Shandong Linuo PV Hi-tech	<i>LN260(30) M-4-xxx</i>	<i>sc-Si, 270 -280 in steps of 5</i>
	<i>LN260(30) P-4-xxx</i>	<i>Mc-Si, 260 -270 in steps of 5</i>
* Shanghai Aerospace Automobile	<i>HT72-156P-XXX</i>	<i>Poly c-Si (XXX=310-330, in steps of 5)</i>
	<i>HT60-156P-XXX</i>	<i>Poly c-Si (XXX=260-275, in steps of 5)</i>
	<i>HT72-156M-XXX</i>	<i>sc-Si (XXX=330-345, 355-360, steps of 5)</i>
	<i>HT60-156M-XXX</i>	<i>sc-Si(XXX=270-310, in steps of 5)</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* Sharp Electronics	<i>NU-RJ XXX</i>	<i>sc-Si 280 - 285W (in steps of 5W)</i>
	<i>ND-RJ XXX</i>	<i>mc-Si 255 - 275W (in steps of 5W)</i>
	<i>ND-RCXXX</i>	<i>poly crystalline 215-310 in steps of 5</i>
	<i>NU-RDXXX</i>	<i>mono crystalline 215-310 in steps of 5</i>
	<i>NU-RCXXX</i>	<i>Poly crystalline 215-310 in steps of 5</i>
	<i>ND-RBxxx</i>	<i>Poly crystalline 245-290 (in steps of 5W)</i>
	<i>NU-SCxxx</i>	<i>sc-Si, 335-375 (in steps of 5W)</i>
	<i>NQ-RxxxA</i>	<i>256- 260W (in steps of 2W)</i>
	<i>ND-Ahxxx</i>	<i>mono crystalline 285-340 W, in steps of 5</i>
	<i>ND-RKxxx</i>	<i>poly crystalline 235-285W , in steps of 5</i>
	<i>NU-AHxxx</i>	<i>poly crystalline, 285-345W , in steps of 5</i>
* SolarWorld AG	<i>Sunmodule Plus SW XXX</i>	<i>mc-Si, 260 W</i>
	<i>Sunmodule Plus SW XXX</i>	<i>sc-Si, 270, 290, 295W</i>
	<i>Sunmodule SW XXX XL</i>	<i>sc-Si, 340, 345W</i>
	<i>Sunmodule Protect SW</i>	<i>sc-Si, 280 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule Plus SW 260</i>	<i>mc-Si, 260 Watt peak 0/+ 5 Wp</i>
	<i>Sunmodule Plus SW 265</i>	<i>mc-Si, 265 Watt peak 0/+ 5 Wp</i>
	<i>Sunmodule Plus SW 285</i>	<i>sc-Si, 285 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule Plus SW 285</i>	<i>sc-Si, 285 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule Plus SW 290</i>	<i>sc-Si, 290 Watt peak 0 / + 5 Wp</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>Sunmodule Plus SW 300</i>	<i>sc-Si, 300 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule SW 325 XL</i>	<i>sc-Si, 325 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule SW 335 XL</i>	<i>sc-Si, 335 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule SW 340 XL</i>	<i>sc-Si, 340 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule SW 345 XL</i>	<i>sc-Si, 345 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule SW 350 XL</i>	<i>sc-Si, 350 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule Bisun SW 280</i>	<i>duo, sc-Si, 280 Watt peak 0 / + 5 Wp</i>
	<i>Sunmodule Bisun SW 325</i>	<i>duo, sc-Si, 325 Watt peak 0 / + 5 Wp</i>
* SOLARWATT GmbH	<i>Vision 60P</i>	<i>mc-Si (275-285 Wp, in step of 5)</i>
	<i>Vision 60P style</i>	<i>mc-Si (265 Wp , 270 Wp)</i>
	<i>Vision 60M style</i>	<i>sc-Si (280-295 Wp), in step of 5</i>
	<i>Vision 60M high power</i>	<i>sc-Si (295 Wp, 300 Wp)</i>
* Solar Frontier	<i>SFXXX-S</i>	<i>CIGS 130-170W</i>
* Solar Leading Group Limited	<i>JKMXXXP-60</i>	<i>mc-Si 245-265W, in steps of 5</i>
	<i>JKMXXXP-72</i>	<i>mc-Si 295-320W, in steps of 5</i>
	<i>JKMXXXM-60</i>	<i>sc-Si 255-280W, in steps of 5</i>
	<i>JKMXXXM-72</i>	<i>sc-Si 300-320W, in steps of 5</i>
* Solon International LL FZE	<i>Solon Blue/Black 220/16</i>	<i>sc-Si, mc-Si 225 - 275 WP</i>
	<i>Solon Blue/black 230/07</i>	<i>sc-Si, mc-Si 225-275 WP</i>
	<i>Solon Black 230/02</i>	<i>sc-Si, mc-Si 225-275 WP</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>Solon Blue 270/11</i>	<i>sc-Si, mc-Si 300-330 WP</i>
	<i>Solon Blue 270/12</i>	<i>sc-Si, mc-Si 300-330 WP</i>
	<i>Solon Blue 270/17</i>	<i>sc-Si, mc-Si 300-330 WP</i>
	<i>Solon Black 280/11</i>	<i>sc-Si, mc-Si 300-330 WP</i>
	<i>Solon Black 280/12</i>	<i>sc-Si, mc-Si 300-330 WP</i>
	<i>Solon Black 280/17</i>	<i>sc-Si, mc-Si 300-330 WP</i>
* Stion	<i>STO-XXXX</i>	<i>CIGS 120-160W, in steps of 5 - +2%</i>
	<i>STL-XXXX</i>	<i>CIGS 120-160W, in steps of 5 - +2%</i>
* SunPower	<i>SPR-X20-327-COM</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-X21-345-COM</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-E20-435 COM</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-E20-435</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-E20-327 COM</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-P17-3xx COM</i>	<i>mc-si (xxx=315-85 in steps of 1, 498 cells)</i>
	<i>SPR-E20-327</i>	<i>sc-Si, 327- 450W</i>
	<i>SPR-P19-xxx-COM</i>	<i>sc-Si,, 380-405, in step of 1</i>
	<i>PVC385 MP</i>	<i>sc-Si, 385 W</i>
	<i>PVC390 MP</i>	<i>sc-Si, 390W</i>
	<i>PVC395 MP</i>	<i>sc-Si, 395W</i>
	<i>PVC400 MP</i>	<i>sc-Si, 400W</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>PVC405 MP</i>	<i>sc-Si, 405W</i>
	<i>E20-xxx</i>	<i>sc-Si, (410-440, in step of 1W)</i>
* Solibro GmbH PV Module	<i>SL2</i>	<i>CIGS 125-150</i>
	<i>SL2-F</i>	<i>CIGS 125-150</i>
* Sunset Energitechnik GmbH	<i>ASxxx/72</i>	<i>250-345W in steps of 5</i>
	<i>ASxxx/60</i>	<i>210-290W in steps of 5</i>
	<i>ASxxx/50</i>	<i>180-235W in steps of 5</i>
	<i>ASxxx/36</i>	<i>130-170W in steps of 5</i>
	<i>PXxxx/72</i>	<i>240-340W in steps of 5</i>
	<i>PXxxx/60</i>	<i>205-285W in steps of 5</i>
	<i>PXxxx/50</i>	<i>175-235W in steps of 5</i>
	<i>PXxxx/36</i>	<i>130-170W in steps of 5</i>
* Suzhou Akcome Optronics	<i>SK6612M-xxx</i>	<i>sc-Si, 340W-375W in steps of 5</i>
	<i>SK6610M-xxx</i>	<i>sc-Si, 280W-315W in steps of 5</i>
	<i>SK6612P-xxx</i>	<i>sc-Si, 320W-350W in steps of 5</i>
	<i>SK6610P-xxx</i>	<i>mc-Si, 265W-290W in steps of 5</i>
* SOLARONE Company	<i>S1M290</i>	<i>Mono-Si 290W</i>
	<i>S1M300</i>	<i>Mono-Si 300W</i>
	<i>S1-xxx-60M</i>	<i>Mono-Si 300-330 (in steps of 5 W)</i>
	<i>S1-xxx-72M</i>	<i>Mono-Si 360-390 (in steps of 5 W)</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>S1-xxx-72MH</i>	<i>Mono-Si 360-390 (in steps of 5 W)</i>
* SOLARTECC Green Energy Factory	<i>STG-72-M</i>	<i>Mono-Si 400W</i>
* Tata Power Solar Modules	<i>TS XXX SBZ</i>	<i>130-160 W in steps of 5, 36 cells</i>
	<i>TPXXX SBZ</i>	<i>130-160 W in steps of 5, 36 cells</i>
	<i>TS XXX XBZ</i>	<i>175-215 W in steps of 5, 48 cells</i>
	<i>TP XXX XBZ</i>	<i>175-215 W in steps of 5, 48 cells</i>
	<i>TS XXX XBZ</i>	<i>200-245 W in steps of 5, 54 cells</i>
	<i>TP XXX XBZ</i>	<i>200-245 W in steps of 5, 54 cells</i>
	<i>TS XXX MBZ</i>	<i>220-270 W in steps of 5, 60 cells</i>
	<i>TP XXX MBZ</i>	<i>220-270 W in steps of 5, 60 cells</i>
	<i>TP XXX LBZ</i>	<i>265-325 W in steps of 5, 72 cells</i>
	<i>TS XXX SGZ</i>	<i>155-170 W in steps of 5, 36 cells</i>
	<i>TP XXX SGZ</i>	<i>155-170 W in steps of 5, 36 cells</i>
	<i>TS XXX XGZ</i>	<i>185-225 W in steps of 5, 48 cells</i>
	<i>TP XXX XGZ</i>	<i>185-225 W in steps of 5, 48 cells</i>
	<i>TS XXX XGZ</i>	<i>210-255 W in steps of 5, 54 cells</i>
	<i>TP XXX XGZ</i>	<i>210-255 W in steps of 5, 54 cells</i>
	<i>TS XXX MGZ</i>	<i>230-285 W in steps of 5, 60 cells</i>
	<i>TP XXX MGZ</i>	<i>230-285 W in steps of 5, 60 cells</i>
	<i>TP XXX LGZ</i>	<i>280-340 W in steps of 5, 72 cells</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>TC XXX</i>	<i>295-320 W in steps of 5, 72 cells</i>
* Trina Solar	<i>TSM-xxxPDG5</i>	<i>Poly c-Si 230-290 W, in steps of 5</i>
	<i>TSM-xxxPDG5.50</i>	<i>Poly c-Si 230-290W, in steps of 5</i>
	<i>TSM-xxx PDG14</i>	<i>Poly c-Si 230-290W, in steps of 5</i>
	<i>TSM-xxx PEG5</i>	<i>Poly c-Si 230-290W, in steps of 5</i>
	<i>TSM-xxx PEG5.50</i>	<i>Poly c-Si 230-290W, in steps of 5</i>
	<i>TSM-xxx PEG14</i>	<i>Poly c-Si 230-290W, in steps of 5</i>
	<i>TSM-xxxPD05</i>	<i>mc-Si, 265-275W, in steps of 5</i>
	<i>TSM-xxxDD05A(II)</i>	<i>mono c-Si, 270-315W, in step of 5</i>
	<i>TSM-DD014A(II)</i>	<i>mono c-Si, 325-375W, in step of 5</i>
	<i>TSM-DEG5(II)</i>	<i>mc-Si, 260-315W, in step of 5</i>
	<i>TSM-xxxPD14</i>	<i>mc-Si 325-345, in step of 5</i>
	<i>TSM-DEG14(II)</i>	<i>mc-Si, 325-375W, in step of 5</i>
	<i>TSM-xxxDEG14C.07 (II)</i>	<i>mc-Si 345-365 Wp, in step of 5</i>
	<i>TSM-xxxDEG5C.07 (II)</i>	<i>mc-Si 290-310 Wp, in step of 5</i>
	<i>TSM-xxxDE15H(II)</i>	<i>mc-Si 380-410 Wp, in step of 5</i>
	<i>TSM-xxxDE15M(II)</i>	<i>mc-Si 390-415 Wp, in step of 5</i>
	<i>TSM-xxxDE20</i>	<i>mono c-Si, 585-605W, in step of 5</i>
	<i>TSM-xxxDE19</i>	<i>mono c-Si, 530-555W, in step of 5</i>
	<i>TSM-XXXDE18M(II)</i>	<i>mono c-Si, 485-505W, in step of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
* TSMC Solar Europe GmbH	TS-xxxC2	CIGS 140-150W, in steps of 5
	TS-xxxC1	CIGS 140/150/155/165W
* Upsolar Global	Up-MxxxM	sc-Si 260-290W, in step of 5
	Up-MxxxM	sc-Si 310-345W, in step of 5
	Up-MxxxP	mc-Si 250-285W, in step of 5
	Up-MxxxP	mc-Si 300-340W, in step of 5
* Viessmann Werke GmbH & Co	VITOVOLT 300 Pxxx PSEB	mc-Si 250 – 260 W, in steps of 5 W
* Vietnam Sunergy Joint Stock	VSUNxxx-144BMH-DG	sc-Si 530-540W, in step of 5
	VSUNxxx-144BMH	sc-Si 530-545W, in step of 5
	VSUNxxx-144MH	sc-Si 535-545W, in step of 5
* Vikram Solar Private Limited	VSP.36.AAA.03	ELDORA, sc-Si 137-168 Wp
	VSP.72.AAA.03	ELDORA, sc-Si 275-335 Wp
	VSPB.60.AAA.03	ELDORA, sc-Si 228wp-279wp
	VSPB.72.AAA.03	ELDORA, sc-Si 275Wp-335wp
	VSPBB.60.AAA.03	ELDORA, sc-Si 228wp-279wp
	VSP.60.AAA.03	ELDORA, sc-si 240-270W
	VSP.72.AAA.03.04	ELDORA, mc-Si AAA=285-350Wp
	VSM.72.AAA.03.04	SOMERA, sc-Si AAA=310-380WP
* WAAREE Energies	WS-XXX	mc-Si 230-270 W, in steps of 5
	WS-XXX	mc-Si 280-320 W, in steps of 5

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>WSM-370</i>	<i>sc-Si, 370 W</i>
* WUXI Suntech Power	<i>STPxxx-20/Wem</i>	<i>mc-si 210-290 Wp</i>
	<i>STPxxx-24/Vem</i>	<i>mc-si 220-350 Wp</i>
	<i>STPxxxS-20/Wem</i>	<i>sc-si 210-310 Wp</i>
	<i>STPxxxS-24/Vem</i>	<i>sc-si 220-370 Wp</i>
	<i>STPxxx-24/VFW</i>	<i>mc-si 330 Wp</i>
	<i>STPxxx-24S/VFW</i>	<i>sc-si 370 Wp</i>
	<i>STPxxxS-B72/Vnh</i>	<i>sc-si 435-455 (in step of 5 Wp)</i>
* WeCo Italy Srl	<i>WE-xxx/72P</i>	<i>300-340W in step of 20</i>
	<i>WE-xxx/60P</i>	<i>230-270-275-280W</i>
	<i>WE-xxx/54P</i>	<i>255W</i>
* Worldwide Energy (Amerisolar)	<i>AS-6M-xxxW</i>	<i>sc-Si 270-330, in increment of 5</i>
	<i>AS-6M30-xxxW</i>	<i>sc-Si 225-275, in increment of 5</i>
	<i>AS-6M27-xxxW</i>	<i>sc-Si 205-245, in increment of 5</i>
	<i>AS-6M18-xxxW</i>	<i>sc-Si 135-165, in increment of 5</i>
	<i>AS-5M-xxxW</i>	<i>sc-Si 175-210, in increment of 5</i>
	<i>AS-5M18-xxxW</i>	<i>sc-Si 90-105, in increment of 5</i>
	<i>AS-6P-xxxW</i>	<i>mc-Si 270-330, in increment of 5</i>
	<i>AS-6P30-xxxW</i>	<i>mc-Si 225-275, in increment of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>AS-6P27-xxxW</i>	<i>mc-Si 205-245, in increment of 5</i>
	<i>AS-6P18-xxxW</i>	<i>mc-Si 135-165, in increment of 5</i>
	<i>AS-6P30</i>	<i>mc-Si (265,270)</i>
	<i>AS-6P</i>	<i>mc-Si (320,330)</i>
	<i>AS-6M-xxxW</i>	<i>sc-Si 365-385, in increment of 10</i>
* Yingli Solar	<i>YLxxxP-29b</i>	<i>multi 240-260kW in steps of 5</i>
	<i>YLxxxP-35b</i>	<i>multi 290-310kW in steps of 5</i>
* Zhejiang Trunsun Solar	<i>TSPxxx -72</i>	<i>mc-Si 315-345 W, in Steps of 5</i>
	<i>TSPxxx -60</i>	<i>mc-Si 255-285 W, in Steps of 5</i>
* Zhejiang Xiongtai PV Technology	<i>XTM6-36-XXX</i>	<i>sc-si 140-160 W, in steps of 5</i>
	<i>XTM6-48-XXX</i>	<i>sc-si 200-220 W, in steps of 5</i>
	<i>XTM6-54-XXX</i>	<i>sc-si 220-250 W, in steps of 5</i>
	<i>XTM6-60-XXX</i>	<i>sc-si 250-265 W, in steps of 5</i>
	<i>XTM6-72-XXX</i>	<i>sc-si 290-310 W, in steps of 5</i>
	<i>XTP6-36-XXX</i>	<i>mc-si 240-260 W, in steps of 5</i>
	<i>XTP6-48-XXX</i>	<i>mc-si 240-260 W, in steps of 5</i>
	<i>XTP6-54-XXX</i>	<i>mc-si 240-260 W, in steps of 5</i>
	<i>XTP6-60-XXX</i>	<i>mc-si 240-260 W, in steps of 5</i>
	<i>XTP6-72-XXX</i>	<i>mc-si 290-305 W, in steps of 5</i>
* Zhongli Talesun Solar	<i>TP660M-XXX</i>	<i>sc-Si 265-280W,in steps of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

PV MODULES

<i>Manufacturer Name</i>	<i>Product ID</i>	<i>Description</i>
	<i>TP660P-XXX</i>	<i>mc-Si 260W-275W, in steps of 5</i>
	<i>TP672P-XXX</i>	<i>mc-Si 310-330, in steps of 5</i>
* ZNSHINE PV-TECH	<i>ZXM6-72-xxx/M</i>	<i>sc-Si, xxx=270-320W, in steps of 5</i>
	<i>ZXM6-72-xxx</i>	<i>sc-Si, 335-370W, in steps of 5</i>
	<i>ZXM6-60-xxx/M</i>	<i>sc-Si, xxx=230-270W, in steps of 5</i>
	<i>ZXM6-54-xxx/M</i>	<i>sc-Si, xxx=200-240W, in steps of 5</i>
	<i>ZXP6-72-xxx/P</i>	<i>mc-Si, xxx=265-320W, in steps of 5</i>
	<i>ZXP6-72-330/P</i>	<i>mc-Si, 330W</i>
	<i>ZXP6-60-xxx/P</i>	<i>mc-Si, xxx=220-265W, in steps of 5</i>
	<i>ZXP6-54-xxx/P</i>	<i>mc-Si, xxx=200-235W, in steps of 5</i>

DISCLAIMER – Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and it shall not ensure the full-hominization with the adopted EWA's design-procedure's articles in terms of the pertinent practicalities and installations; and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.